

Anbaugelbiet 19: Lo-Standorte

Auswertungsserie: KM_Lo_17_19; Jahr: 2019

Trockensubstanz (Korn) %

Sorte	Jahr		2019	2017- 2019	2018- 2019	2019			
	2017	2018				Dornburg	Friemar	Pommritz	Salbitz
P 7515 (B)	76,2	77,0	75,2	76,1	76,1	73,7	76,2	76,0	74,9
ES Hubble (B)	76,3	73,4	73,8	74,5	73,6	72,6	74,7	73,4	74,5
DKC 3441* (B)	75,5	75,5	74,5	75,2	75,0	73,7	72,9	75,6	75,8
P 8723 (B)	74,4	76,7	73,4	74,8	75,0	72,8	72,2	75,5	73,1
DKC 2684		80,2	77,3		78,7	75,7	77,8	78,6	77,0
Amavit		77,0	75,4		76,2	73,7	77,0	75,4	75,6
DKC 2788		78,0	76,8		77,4	76,7	75,0	79,1	76,4
Agro Fides		76,3	75,6		75,9	76,1	75,6	75,3	75,4
KWS Stefano		77,1	74,5		75,8	73,2	74,4	74,1	76,2
LG 31227		72,6	72,8		72,7	73,0	72,5	72,4	73,2
Rancador		76,0	73,5		74,7	73,7	73,4	73,9	73,0
RGT Chromixx*		74,5	74,2		74,4	73,2	75,0	74,3	74,3
DKC 3097			73,9			73,9	72,7	75,7	73,5
Amello			74,9			73,3	75,7	75,5	75,2
Kovivio			76,5			76,7	76,4	78,4	74,5
LG 31238			73,7			72,9	73,1	74,7	73,9
SY Abelardo			75,1			75,2	74,5	76,0	75,0
SY Calo			74,6			74,4	72,9	75,7	75,3
KWS Gustavius			74,3			73,8	73,8	75,8	74,0
KWS Johaninio			73,5			73,0	73,0	73,7	74,3
Mittel (B)	75,6	75,7	74,2	75,2	74,9	73,2	74,0	75,1	74,5
Anzahl Versuche	3	4	4						

Anbauggebiet 19: Lö-Standorte

Auswertungsserie: KM_Lö_17_19; Jahr: 2019

Trockensubstanz (Korn) relativ

Sorte	Jahr		2019	2017- 2019	2018- 2019	2019			
	2017	2018				Dornburg	Friemar	Pommritz	Salbitz
P 7515 (B)	101	102	101	101	102	101	103	101	100
ES Hubble (B)	101	97	99	99	98	99	101	98	100
DKC 3441* (B)	100	100	100	100	100	101	98	101	102
P 8723 (B)	98	101	99	100	100	99	98	100	98
DKC 2684		106	104		105	103	105	105	103
Amavit		102	102		102	101	104	100	101
DKC 2788		103	103		103	105	101	105	103
Agro Fides		101	102		101	104	102	100	101
KWS Stefano		102	100		101	100	101	99	102
LG 31227		96	98		97	100	98	96	98
Rancador		100	99		100	101	99	98	98
RGT Chromixx*		98	100		99	100	101	99	100
DKC 3097			100			101	98	101	99
Amello			101			100	102	101	101
Kovivio			103			105	103	104	100
LG 31238			99			100	99	99	99
SY Abelardo			101			103	101	101	101
SY Calo			101			102	99	101	101
KWS Gustavius			100			101	100	101	99
KWS Johaninio			99			100	99	98	100
Mittel (B)	75,6	75,7	74,2	75,2	74,9	73,2	74,0	75,1	74,5

Anbauggebiet 19: Lö-Standorte

Auswertungsserie: KM_Lö_17_19; Jahr: 2019

Ertrag (Körnermaiskorr.) dt/ha

Sorte	Jahr		2019						
	2017	2018	2019	2017- 2019	2018- 2019	Dornburg	Friemar	Pommritz	Salbitz
P 7515 (B)	134,5	90,2	113,1	112,6	101,7	118,0	109,2	130,2	95,1
ES Hubble (B)	127,0	91,3	113,0	110,4	102,2	118,6	111,1	128,1	94,0
DKC 3441* (B)	132,4	87,2	110,2	109,9	98,7	115,4	112,0	128,9	84,5
P 8723 (B)	130,8	88,8	113,5	111,0	101,1	121,5	110,0	132,4	89,9
DKC 2684		87,0	110,4		98,7	110,0	108,8	133,5	89,1
Amavit		92,1	115,7		103,9	119,2	107,2	137,4	99,1
DKC 2788		85,4	111,3		98,4	115,4	112,7	129,8	87,5
Agro Fides		90,3	110,9		100,6	114,9	106,2	131,6	90,8
KWS Stefano		86,4	108,2		97,3	116,7	107,0	127,1	82,1
LG 31227		89,3	110,7		100,0	114,9	110,2	131,4	86,2
Rancador		88,6	107,0		97,8	109,5	110,6	129,1	78,8
RGT Chromixx*		95,5	111,0		103,3	111,4	108,1	132,3	92,3
DKC 3097			108,4			111,8	105,7	125,0	91,4
Amello			106,4			106,6	103,4	125,0	90,4
Kovivio			103,0			108,1	100,5	123,2	80,3
LG 31238			113,3			123,4	112,2	121,2	96,6
SY Abelardo			116,7			120,2	113,4	135,6	97,6
SY Calo			118,1			115,1	120,9	136,3	100,3
KWS Gustavius			120,4			131,1	122,7	137,6	90,1
KWS Johaninio			114,7			123,2	113,7	138,9	83,1
Mittel (B)	131,2	89,4	112,4	111,0	100,9	118,4	110,6	129,9	90,9
GDt						9,6	8,2	13,8	8,0

Anbaugesbiet 19: Lö-Standorte

Auswertungsserie: KM_Lö_17_19; Jahr: 2019

Ertrag (relativ) dt/ha

Sorte	Jahr		2019	2017- 2019	2018- 2019	2019			
	2017	2018				Dornburg	Friemar	Pommritz	Salbitz
P 7515 (B)	103	101	101	101	101	100	99	100	105
ES Hubble (B)	97	102	100	99	101	100	100	99	103
DKC 3441* (B)	101	98	98	99	98	97	101	99	93
P 8723 (B)	100	99	101	100	100	103	99	102	99
DKC 2684		97	98		98	93	98	103	98
Amavit		103	103		103	101	97	106	109
DKC 2788		95	99		97	98	102	100	96
Agro Fides		101	99		100	97	96	101	100
KWS Stefano		97	96		96	99	97	98	90
LG 31227		100	98		99	97	100	101	95
Rancador		99	95		97	93	100	99	87
RGT Chromixx*		107	99		102	94	98	102	102
DKC 3097			96			94	96	96	101
Amello			95			90	94	96	99
Kovivio			92			91	91	95	88
LG 31238			101			104	101	93	106
SY Abelardo			104			102	103	104	107
SY Calo			105			97	109	105	110
KWS Gustavius			107			111	111	106	99
KWS Johaninio			102			104	103	107	91
Mittel (B)	131,2	89,4	112,4	111,0	100,9	118,4	110,6	129,9	90,9
GDt						8	7	11	9

Anbaugesamt 19: L-Standorte

Auswertungsserie: KM_L_17_19; Jahr: 2019

Lagerpflanzen vor Ernte %

Sorte	Jahr		2019	2017- 2019	2018- 2019	2019			
	2017	2018				Dornburg	Friemar	Pommritz	Salbitz
P 7515 (B)	8	1	1	3	1	0	0	5	0
ES Hubble (B)	6	1	0	2	1	0	0	1	0
DKC 3441* (B)	13	1	1	5	1	0	0	2	0
P 8723 (B)	7	1	0	3	0	0	0	1	0
DKC 2684		1	3		2	0	0	14	0
Amavit		1	8		5	0	0	19	14
DKC 2788		2	5		3	0	0	18	0
Agro Fides		5	1		3	0	0	5	0
KWS Stefano		4	21		13	0	0	42	43
LG 31227		3	7		5	0	0	26	0
Rancador		2	17		9	0	2	27	39
RGT Chromixx*		1	2		1	0	0	6	0
DKC 3097			1			0	0	4	0
Amello			4			0	0	17	0
Kovivio			6			0	0	24	0
LG 31238			11			0	0	45	0
SY Abelardo			2			0	0	7	0
SY Calo			1			0	0	4	0
KWS Gustavius			0			0	0	1	0
KWS Johaninio			18			0	0	17	54
Mittel (B)	8	1	1	3	1	0	0	2	0

Anbauggebiet 19: Lö-Standorte

Auswertungsserie: KM_Lö_17_19; Jahr: 2019

Stängelfäule %

Sorte	Jahr			2017- 2019	2018- 2019	2019			
	2017	2018	2019			Dornburg	Friemar	Pommritz	Salbitz
P 7515 (B)	20	17	10	16	13	0	0	19	10
ES Hubble (B)	9	8	9	9	9	0	0	14	13
DKC 3441* (B)	8	15	12	12	13	0	0	21	14
P 8723 (B)	13	12	4	10	8	0	0	1	10
DKC 2684		17	11		14	0	0	14	19
Amavit		14	20		17	0	0	38	21
DKC 2788		14	11		13	0	0	13	21
Agro Fides		11	15		13	0	0	26	19
KWS Stefano		26	22		24	0	0	45	21
LG 31227		15	25		20	0	0	56	19
Rancador		22	16		19	0	0	30	19
RGT Chromixx*		23	20		21	0	0	45	16
DKC 3097			18			0	0	38	15
Amello			23			0	0	50	18
Kovivio			12			0	0	23	14
LG 31238			9			0	0	15	13
SY Abelardo			11			0	0	21	11
SY Calo			10			0	0	15	15
KWS Gustavius			10			0	0	15	15
KWS Johaninio			21			0	0	35	29
Mittel (B)	13	13	8	11	11	0	0	14	12

Anbaugelbiet 19: L6-Standorte

Auswertungsserie: KM_L6_17_19; Jahr: 2019

Pflanzen mit Beulenbrand %

Sorte	Jahr			2017- 2019	2018- 2019	2019			
	2017	2018	2019			Dornburg	Friemar	Pommritz	Salbitz
P 7515 (B)	6	4	1	4	3	0	0	4	1
ES Hubble (B)	3	2	1	2	1	0	1	1	1
DKC 3441* (B)	15	5	1	7	3	0	1	2	0
P 8723 (B)	15	5	3	8	4	0	2	3	5
DKC 2684		1	2		1	0	1	2	4
Amavit		4	1		3	0	4	0	1
DKC 2788		1	0		1	0	0	0	1
Agro Fides		1	0		1	0	0	1	1
KWS Stefano		7	1		4	0	2	0	1
LG 31227		2	2		2	0	2	4	2
Rancador		3	1		2	0	1	0	2
RGT Chromixx*		1	0		1	0	1	1	0
DKC 3097			0			0	0	0	1
Amello			1			0	1	0	2
Kovivio			1			0	2	1	2
LG 31238			0			0	0	0	1
SY Abelardo			1			0	1	1	1
SY Calo			2			0	3	3	1
KWS Gustavius			2			0	2	1	4
KWS Johaninio			0			0	0	0	1
Mittel (B)	10	4	1	5	3	0	1	2	2

Anbaugesamt 19: L-Standorte**Auswertungsserie: KM_L_17_19; Jahr: 2019****Mngel im Stand nach Aufgang**

Sorte	Jahr			2017- 2019	2018- 2019	2019			
	2017	2018	2019			Dornburg	Friemar	Pommritz	Salbitz
P 7515 (B)	1	2	2	1	2	3	1	1	1
ES Hubble (B)	1	2	2	2	2	3	2	1	1
DKC 3441* (B)	1	2	2	2	2	3	1	1	1
P 8723 (B)	1	2	2	2	2	3	2	1	1
DKC 2684		2	3		2	5	2	1	1
Amavit		2	2		2	3	2	1	1
DKC 2788		2	2		2	3	1	1	1
Agro Fides		2	1		2	2	1	1	1
KWS Stefano		2	2		2	3	2	1	1
LG 31227		2	2		2	3	2	1	1
Rancador		2	2		2	3	2	1	1
RGT Chromixx*		2	2		2	3	2	1	1
DKC 3097			2			3	2	1	1
Amello			2			4	1	1	1
Kovivio			3			4	3	1	1
LG 31238			2			3	1	1	1
SY Abelardo			2			3	1	1	1
SY Calo			2			3	2	1	1
KWS Gustavius			2			3	1	1	1
KWS Johaninio			2			3	1	1	1
Mittel (B)	1	2	2	2	2	3	1	1	1

Anbaugesbiet 19: Lö-Standorte**Auswertungsserie: KM_Lö_17_19; Jahr: 2019****Mängel nach Abschluß d. weiblichen Blüte**

Sorte	Jahr		2019	2017- 2019	2018- 2019	2019			
	2017	2018				Dornburg	Friemar	Pommritz	Salbitz
P 7515 (B)	1	2	1	1	1	1	1	1	1
ES Hubble (B)	1	2	1	1	1	1	1	1	1
DKC 3441* (B)	1	2	1	1	1	1	1	1	1
P 8723 (B)	1	2	1	1	1	1	1	1	1
DKC 2684		2	1		1	1	1	1	1
Amavit		1	1		1	1	1	1	1
DKC 2788		2	1		1	1	1	1	1
Agro Fides		2	1		1	1	1	1	1
KWS Stefano		1	1		1	1	1	1	1
LG 31227		1	1		1	1	1	1	1
Rancador		1	1		1	1	1	1	1
RGT Chromixx*		2	1		1	1	1	1	1
DKC 3097			1			1	1	1	1
Amello			1			1	1	1	1
Kovivio			1			1	1	1	1
LG 31238			1			1	1	1	1
SY Abelardo			1			1	1	1	1
SY Calo			1			1	1	1	1
KWS Gustavius			1			1	1	1	1
KWS Johaninio			1			1	1	1	1
Mittel (B)	1	2	1	1	1	1	1	1	1

Anbaugesbiet 19: Lö-Standorte

Auswertungsserie: KM_Lö_17_19; Jahr: 2019

Bestockung %

Sorte	Jahr			2017- 2019	2018- 2019	2019			
	2017	2018	2019			Dornburg	Friemar	Pommritz	Salbitz
P 7515 (B)	6	2	1	3	2	1	2	2	0
ES Hubble (B)	1	0	0	0	0	0	0	1	0
DKC 3441* (B)	14	10	2	9	6	1	2	6	0
P 8723 (B)	10	2	4	6	3	3	6	7	1
DKC 2684		3	6		5	13	6	6	0
Amavit		1	2		1	0	7	1	0
DKC 2788		2	5		4	4	6	10	0
Agro Fides		1	2		1	2	4	1	0
KWS Stefano		0	0		0	0	0	1	0
LG 31227		1	0		0	0	0	1	0
Rancador		1	1		1	0	2	3	0
RGT Chromixx*		2	2		2	2	2	4	0
DKC 3097			0			0	0	2	0
Amello			1			0	1	2	0
Kovivio			2			4	2	2	0
LG 31238			0			1	0	0	0
SY Abelardo			5			7	4	8	0
SY Calo			4			2	6	7	1
KWS Gustavius			1			0	2	1	0
KWS Johaninio			0			0	0	0	0
Mittel (B)	8	4	2	4	3	1	3	4	0

Anbaugesbiet 19: Lö-Standorte**Auswertungsserie: KM_Lö_17_19; Jahr: 2019****Pflanzenlänge cm**

Sorte	Jahr			2017- 2019	2018- 2019	2019		
	2017	2018	2019			Friemar	Pommritz	Salbitz
P 7515 (B)	299	257	249	268	253	262	260	225
ES Hubble (B)	306	272	274	284	273	290	266	260
DKC 3441* (B)	280	247	249	259	248	268	257	222
P 8723 (B)	293	244	254	263	249	272	256	235
DKC 2684		264	264		264	277	260	254
Amavit		272	272		272	288	269	253
DKC 2788		263	262		263	273	264	251
Agro Fides		259	253		256	267	263	231
KWS Stefano		272	272		272	287	269	252
LG 31227		270	262		266	278	266	241
Rancador		254	264		259	280	265	248
RGT Chromixx*		264	256		260	275	256	239
DKC 3097			252			266	258	233
Amello			281			298	274	270
Kovivio			259			277	264	236
LG 31238			272			288	268	260
SY Abelardo			255			266	259	239
SY Calo			245			255	251	228
KWS Gustavius			253			269	259	230
KWS Johaninio			257			272	259	241
Mittel (B)	294	255	258	269	256	273	260	235

Anbaugesamt 19: L-Standorte**Auswertungsserie: KM_L_17_19; Jahr: 2019****Pflanzenlnge (relativ)**

Sorte	Jahr			2017- 2019	2018- 2019	2019		
	2017	2018	2019			Friemar	Pommritz	Salbitz
P 7515 (B)	102	101	96	100	99	96	100	95
ES Hubble (B)	104	107	106	105	107	106	103	111
DKC 3441* (B)	95	97	97	96	97	98	99	94
P 8723 (B)	99	96	99	98	97	100	98	100
DKC 2684		104	102		103	101	100	108
Amavit		107	106		106	106	103	108
DKC 2788		103	102		103	100	102	106
Agro Fides		102	98		100	98	101	98
KWS Stefano		107	106		106	105	104	107
LG 31227		106	102		104	102	103	103
Rancador		100	102		101	102	102	105
RGT Chromixx*		103	100		102	101	99	101
DKC 3097			98			97	99	99
Amello			109			109	105	115
Kovivio			101			102	102	100
LG 31238			105			105	103	110
SY Abelardo			99			98	100	102
SY Calo			95			93	97	97
KWS Gustavius			98			98	100	98
KWS Johaninio			100			100	100	102
Mittel (B)	294	255	258	269	256	273	260	235

Anbauggebiet 19: Lö-Standorte**Auswertungsserie: KM_Lö_17_19; Jahr: 2019****Datum der weiblichen Blüte**

Sorte	Jahr			2019			
	2017	2018	2019	Dornburg	Friemar	Pommritz	Salbitz
P 7515 (B)	19.07.2017	11.07.2018	24.07.2019	23.07.2019	31.07.2019	22.07.2019	20.07.2019
ES Hubble (B)	15.07.2017	08.07.2018	21.07.2019	21.07.2019	25.07.2019	19.07.2019	20.07.2019
DKC 3441* (B)	19.07.2017	12.07.2018	24.07.2019	25.07.2019	01.08.2019	20.07.2019	21.07.2019
P 8723 (B)	19.07.2017	11.07.2018	24.07.2019	25.07.2019	01.08.2019	21.07.2019	20.07.2019
DKC 2684		09.07.2018	22.07.2019	23.07.2019	30.07.2019	18.07.2019	17.07.2019
Amavit		09.07.2018	21.07.2019	22.07.2019	26.07.2019	18.07.2019	18.07.2019
DKC 2788		11.07.2018	23.07.2019	23.07.2019	30.07.2019	20.07.2019	20.07.2019
Agro Fides		09.07.2018	20.07.2019	22.07.2019	26.07.2019	18.07.2019	17.07.2019
KWS Stefano		09.07.2018	21.07.2019	22.07.2019	27.07.2019	16.07.2019	19.07.2019
LG 31227		09.07.2018	20.07.2019	21.07.2019	26.07.2019	16.07.2019	20.07.2019
Rancador		09.07.2018	21.07.2019	23.07.2019	26.07.2019	17.07.2019	19.07.2019
RGT Chromixx*		09.07.2018	22.07.2019	23.07.2019	29.07.2019	19.07.2019	19.07.2019
DKC 3097			24.07.2019	25.07.2019	31.07.2019	21.07.2019	19.07.2019
Amello			23.07.2019	23.07.2019	29.07.2019	21.07.2019	20.07.2019
Kovivio			22.07.2019	22.07.2019	31.07.2019	19.07.2019	19.07.2019
LG 31238			20.07.2019	20.07.2019	26.07.2019	16.07.2019	19.07.2019
SY Abelardo			20.07.2019	22.07.2019	27.07.2019	16.07.2019	17.07.2019
SY Calo			22.07.2019	25.07.2019	29.07.2019	20.07.2019	17.07.2019
KWS Gustavius			23.07.2019	24.07.2019	30.07.2019	21.07.2019	20.07.2019
KWS Johaninio			21.07.2019	20.07.2019	26.07.2019	19.07.2019	20.07.2019
Mittel (B)	18.07.2017	11.07.2018	23.07.2019	24.07.2019	30.07.2019	21.07.2019	20.07.2019