

Anbaubereich 19 (Löss-Standorte)

Auswertungsserie: SF_Lö_17_19; Jahr: 2019

TS Gesamtplanze (NIRS) %

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	37,2	44,8	41,5	41,2	43,2	43,6	42,7	38,6	41,0
Keops (B)	36,9	43,5	41,2	40,6	42,4	41,9	43,7	38,4	41,0
LG 31211* (B)	36,1	43,8	39,8	39,9	41,8	39,1	42,3	36,6	41,2
Mantilla (B)	37,1	41,6	40,1	39,6	40,8	42,0	42,2	36,3	39,7
Agro Fides (B)	35,3	43,2	41,2	39,9	42,2	42,1	43,5	37,7	41,4
DKC 2972 (B)	35,4	39,9	38,1	37,8	39,0	38,1	41,4	35,4	37,6
Susetta		40,0	38,3		39,1	38,4	40,6	34,4	39,8
Amavit		43,1	41,4		42,2	41,5	44,1	37,9	42,0
DKC 2684		43,5	41,7		42,6	42,2	44,0	38,1	42,6
Kaprilias		42,4	40,8		41,6	43,7	42,8	36,2	40,7
KWS Stefano		43,3	41,0		42,1	44,7	41,7	38,0	39,6
LG 31218*		42,3	40,8		41,5	41,0	43,9	37,3	41,0
LG 31227		39,0	37,9		38,4	39,5	39,6	34,9	37,4
Rancador		42,4	41,2		41,8	43,5	44,6	36,7	40,2
SY Amboss		40,2	39,2		39,7	39,8	41,8	36,4	38,6
P 7460			40,2			42,2	42,8	35,8	40,1
Agromilas			41,0			42,9	41,8	37,0	42,4
Friendly CS			41,2			41,9	44,6	36,9	41,2
Kovivio			40,4			40,4	41,5	37,5	42,3
KWS Johaninio			41,7			43,5	42,6	38,3	42,4
Adamanto			40,4			41,8	42,0	37,3	40,5
DKC 3096			38,6			40,1	41,3	34,5	38,6
SY Abelardo			40,7			44,5	42,1	36,5	39,7
SY Leopoldo			39,2			41,2	40,9	35,0	39,9
Mittel (B)	36,3	42,8	40,3	39,8	41,6	41,1	42,6	37,1	40,3

Anbaugesamt 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****TS Gesamtplanze relativ**

Sorte	Jahr								
	2017	2018	2019	2017-2019	2018-2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	102	105	103	103	104	106	100	104	102
Keops (B)	102	102	102	102	102	102	103	103	102
LG 31211* (B)	99	102	99	100	101	95	99	99	102
Mantilla (B)	102	97	99	99	98	102	99	98	99
Agro Fides (B)	97	101	102	100	101	102	102	101	103
DKC 2972 (B)	97	93	95	95	94	93	97	95	93
Susetta		93	95		94	93	95	93	99
Amavit		101	103		102	101	103	102	104
DKC 2684		102	104		102	103	103	103	106
Kaprilias		99	101		100	106	100	98	101
KWS Stefano		101	102		101	109	98	102	98
LG 31218*		99	101		100	100	103	100	102
LG 31227		91	94		92	96	93	94	93
Rancador		99	102		101	106	104	99	100
SY Amboss		94	97		95	97	98	98	96
P 7460			100			103	100	96	99
Agromilas			102			104	98	99	105
Friendli CS			102			102	104	99	102
Kovivio			100			98	97	101	105
KWS Johaninio			103			106	100	103	105
Adamanto			100			102	98	100	100
DKC 3096			96			97	97	93	96
SY Abelardo			101			108	99	98	99
SY Leopoldo			97			100	96	94	99
Mittel (B)	36,3	42,8	40,3	39,8	41,6	41,1	42,6	37,1	40,3

Anbaugesamt 19

Auswertungsserie: SF_Lö_17_19; Jahr: 2019

Gesamtrockenmasse (Silomais NIRS) dt/ha

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	223,4	159,7	202,9	195,3	181,3	199,9	199,8	222,5	189,5
Keops (B)	224,2	163,6	206,3	198,0	184,9	190,8	215,7	225,8	192,7
LG 31211* (B)	219,4	161,6	197,3	192,8	179,4	188,1	196,9	221,0	183,2
Mantilla (B)	222,4	162,0	204,9	196,4	183,5	207,5	210,6	213,4	188,2
Agro Fides (B)	212,2	163,3	200,0	191,8	181,6	193,1	205,8	212,5	188,4
DKC 2972 (B)	224,7	160,0	204,3	196,3	182,2	210,1	213,2	209,6	184,3
Susetta		158,3	200,4		179,4	203,4	189,0	225,9	183,5
Amavit		163,6	204,5		184,1	198,3	209,0	225,1	185,6
DKC 2684		161,7	203,0		182,3	200,5	205,5	213,0	192,9
Kaprilias		160,9	199,5		180,2	193,7	200,6	218,3	185,2
KWS Stefano		161,6	208,7		185,2	207,1	204,7	226,1	196,9
LG 31218*		158,6	197,0		177,8	203,1	196,2	211,9	176,9
LG 31227		160,8	204,0		182,4	205,3	203,9	211,9	194,8
Rancador		161,3	206,7		184,0	200,7	217,3	221,5	187,1
SY Amboss		160,5	203,1		181,8	202,9	207,2	207,3	194,9
P 7460			193,5			188,2	199,9	200,6	185,4
Agromilas			200,2			202,9	200,1	215,0	182,8
Friendli CS			201,2			204,3	206,9	205,4	188,4
Kovivio			194,7			198,1	192,2	215,6	172,9
KWS Johaninio			210,7			217,5	210,0	228,1	187,1
Adamanto			208,6			215,3	207,0	224,8	187,5
DKC 3096			208,4			218,8	210,8	213,8	190,0
SY Abelardo			201,5			203,1	197,6	216,7	188,7
SY Leopoldo			200,8			206,1	193,7	216,5	187,0
Mittel (B)	221,0	161,7	202,6	195,1	182,2	198,3	207,0	217,5	187,7
Gdt						14,4	16,7	15,7	13,2

Anbaugesamt 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Gesamttrockenmasse relativ**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	101	99	100	100	100	101	97	102	101
Keops (B)	101	101	102	101	101	96	104	104	103
LG 31211* (B)	99	100	97	99	98	95	95	102	98
Mantilla (B)	101	100	101	101	101	105	102	98	100
Agro Fides (B)	96	101	99	98	100	97	99	98	100
DKC 2972 (B)	102	99	101	101	100	106	103	96	98
Susetta		98	99		98	103	91	104	98
Amavit		101	101		101	100	101	103	99
DKC 2684		100	100		100	101	99	98	103
Kaprilias		100	98		99	98	97	100	99
KWS Stefano		100	103		102	104	99	104	105
LG 31218*		98	97		98	102	95	97	94
LG 31227		99	101		100	104	98	97	104
Rancador		100	102		101	101	105	102	100
SY Amboss		99	100		100	102	100	95	104
P 7460			96			95	97	92	99
Agromilas			99			102	97	99	97
Friendli CS			99			103	100	94	100
Kovivio			96			100	93	99	92
KWS Johaninio			104			110	101	105	100
Adamanto			103			109	100	103	100
DKC 3096			103			110	102	98	101
SY Abelardo			99			102	95	100	101
SY Leopoldo			99			104	94	100	100
Mittel (B)	221,0	161,7	202,6	195,1	182,2	198,3	207,0	217,5	187,7
Gdt						7	8	7	7

Anbaugesbiet 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****NEL GJ/ha (NIRS) (ELOS, NDForg, XL, XA)**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	150,8	101,7	137,8	130,1	119,8	141,9	136,8	144,8	127,9
Keops (B)	151,4	103,6	140,2	131,8	121,9	134,8	150,3	148,0	127,8
LG 31211* (B)	145,8	104,7	131,1	127,2	117,9	128,9	130,7	141,2	123,6
Mantilla (B)	147,4	102,2	138,3	129,3	120,2	145,4	144,4	138,4	125,0
Agro Fides (B)	141,6	104,6	134,6	126,9	119,6	133,9	141,8	137,5	125,4
DKC 2972 (B)	144,5	99,6	134,6	126,2	117,1	142,3	143,5	132,1	120,3
Susetta		100,1	137,6		118,8	143,7	130,8	150,9	125,2
Amavit		102,7	136,1		119,4	135,4	142,4	145,2	121,5
DKC 2684		100,0	135,1		117,6	136,1	141,0	134,8	128,3
Kaprilias		102,5	134,8		118,6	138,9	137,0	141,6	121,6
KWS Stefano		101,4	138,4		119,9	144,7	135,9	143,6	129,6
LG 31218*		102,5	134,5		118,5	142,5	135,6	141,3	118,5
LG 31227		100,9	135,6		118,2	143,5	134,3	134,7	130,0
Rancador		103,7	140,6		122,1	144,3	150,4	144,6	123,2
SY Amboss		99,7	134,1		116,9	137,1	137,2	133,1	129,0
P 7460			126,3			127,2	134,1	123,7	120,3
Agromilas			134,1			142,3	132,5	139,7	121,7
Friendli CS			133,4			142,6	138,5	131,0	121,3
Kovivio			127,2			130,4	126,9	138,4	113,2
KWS Johaninio			141,1			150,2	141,9	149,6	122,8
Adamanto			140,4			149,8	140,5	147,2	124,0
DKC 3096			138,3			147,6	143,1	135,5	127,2
SY Abelardo			135,8			141,3	132,6	142,5	126,9
SY Leopoldo			134,4			141,7	131,4	140,7	123,8
Mittel (B)	146,9	102,7	136,1	128,6	119,4	137,9	141,2	140,3	125,0

Anbaugesbiet 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****NEL GJ/ha (relativ)**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	103	99	101	101	100	103	97	103	102
Keops (B)	103	101	103	102	102	98	106	105	102
LG 31211* (B)	99	102	96	99	99	93	93	101	99
Mantilla (B)	100	99	102	101	101	105	102	99	100
Agro Fides (B)	96	102	99	99	100	97	100	98	100
DKC 2972 (B)	98	97	99	98	98	103	102	94	96
Susetta		97	101		100	104	93	108	100
Amavit		100	100		100	98	101	103	97
DKC 2684		97	99		98	99	100	96	103
Kaprilias		100	99		99	101	97	101	97
KWS Stefano		99	102		100	105	96	102	104
LG 31218*		100	99		99	103	96	101	95
LG 31227		98	100		99	104	95	96	104
Rancador		101	103		102	105	106	103	99
SY Amboss		97	99		98	99	97	95	103
P 7460			93			92	95	88	96
Agromilas			98			103	94	100	97
Friendli CS			98			103	98	93	97
Kovivio			93			95	90	99	91
KWS Johaninio			104			109	100	107	98
Adamanto			103			109	100	105	99
DKC 3096			102			107	101	97	102
SY Abelardo			100			102	94	102	102
SY Leopoldo			99			103	93	100	99
Mittel (B)	146,9	102,7	136,1	128,6	119,4	137,9	141,2	140,3	125,0

Anbaubereich 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Stärkeertrag (Mais) dt/ha**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	76,0	45,1	68,1	63,1	56,6	72,5	68,4	71,7	59,6
Keops (B)	76,7	45,7	70,0	64,1	57,9	65,4	82,2	73,5	59,0
LG 31211* (B)	75,8	49,1	62,3	62,4	55,7	54,5	66,1	67,0	61,6
Mantilla (B)	75,3	45,4	69,0	63,2	57,2	68,0	77,3	68,4	62,2
Agro Fides (B)	71,8	49,5	68,1	63,1	58,8	63,0	79,1	69,2	61,2
DKC 2972 (B)	69,9	39,8	61,0	56,9	50,4	64,3	72,4	56,2	51,1
Susetta		39,9	62,3		51,1	57,9	65,1	69,9	56,4
Amavit		45,8	68,8		57,3	65,9	77,3	74,2	57,8
DKC 2684		41,9	66,7		54,3	63,1	77,5	65,1	61,1
Kaprilias		44,5	65,4		55,0	70,8	68,7	67,5	54,8
KWS Stefano		43,8	64,7		54,2	73,1	61,4	66,0	58,2
LG 31218*		46,4	66,4		56,4	65,3	73,1	70,2	56,8
LG 31227		40,9	60,9		50,9	64,3	60,4	59,1	59,8
Rancador		45,8	67,5		56,7	72,0	76,3	67,0	54,9
SY Amboss		41,6	63,7		52,6	61,5	69,5	62,7	60,9
P 7460			60,7			62,1	69,6	56,7	54,4
Agromilas			64,0			69,5	63,0	66,6	57,0
Friendli CS			64,1			67,8	71,8	61,0	55,9
Kovivio			57,0			52,4	58,5	66,3	50,9
KWS Johaninio			67,8			67,8	69,9	76,7	56,9
Adamanto			63,8			62,8	65,3	72,5	54,8
DKC 3096			62,5			61,5	70,7	59,2	58,8
SY Abelardo			67,4			65,2	70,1	72,1	62,2
SY Leopoldo			60,9			60,9	63,8	64,7	54,5
Mittel (B)	74,3	45,8	66,4	62,1	56,1	64,6	74,3	67,7	59,1

Anbauggebiet 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Stärkeertrag relativ**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	102	99	102	102	101	112	92	106	101
Keops (B)	103	100	105	103	103	101	111	109	100
LG 31211* (B)	102	107	94	100	99	84	89	99	104
Mantilla (B)	101	99	104	102	102	105	104	101	105
Agro Fides (B)	97	108	103	102	105	97	107	102	104
DKC 2972 (B)	94	87	92	92	90	100	98	83	86
Susetta		87	94		91	90	88	103	95
Amavit		100	104		102	102	104	110	98
DKC 2684		91	100		97	98	104	96	103
Kaprilias		97	99		98	110	92	100	93
KWS Stefano		96	97		97	113	83	98	98
LG 31218*		101	100		100	101	98	104	96
LG 31227		89	92		91	100	81	87	101
Rancador		100	102		101	111	103	99	93
SY Amboss		91	96		94	95	94	93	103
P 7460			91			96	94	84	92
Agromilas			96			108	85	98	96
Friendli CS			97			105	97	90	95
Kovivio			86			81	79	98	86
KWS Johaninio			102			105	94	113	96
Adamanto			96			97	88	107	93
DKC 3096			94			95	95	87	99
SY Abelardo			101			101	94	107	105
SY Leopoldo			92			94	86	96	92
Mittel (B)	74,3	45,8	66,4	62,1	56,1	64,6	74,3	67,7	59,1

Anbaugesamt 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Biogasertrag BGE (oTM) (Rath 2016)**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	16.210	12.547	15.249	14.669	13.898	16.492	14.427	15.787	14.291
Keops (B)	16.277	12.720	15.608	14.869	14.164	15.710	15.761	16.303	14.660
LG 31211* (B)	15.902	12.258	14.638	14.266	13.448	14.783	14.210	15.759	13.802
Mantilla (B)	15.673	12.190	15.195	14.353	13.692	16.087	15.522	15.005	14.164
Agro Fides (B)	14.964	12.480	14.993	14.146	13.736	15.827	14.931	14.789	14.424
DKC 2972 (B)	15.943	12.331	15.535	14.603	13.933	17.371	15.852	15.058	13.857
Susetta		11.880	14.649		13.264	15.791	13.501	15.513	13.790
Amavit		12.342	15.218		13.780	16.226	15.053	15.511	14.084
DKC 2684		12.406	15.184		13.795	16.133	14.816	15.002	14.787
Kaprilias		12.486	15.158		13.822	16.041	14.682	15.386	14.525
KWS Stefano		12.431	15.760		14.096	17.263	14.532	16.138	15.109
LG 31218*		11.652	14.740		13.196	16.734	14.183	14.708	13.337
LG 31227		11.866	15.221		13.543	16.535	14.966	14.731	14.653
Rancador		12.252	15.491		13.871	16.934	15.605	15.234	14.190
SY Amboss		12.411	15.565		13.988	17.120	15.186	14.965	14.991
P 7460			14.517			15.187	14.567	14.240	14.076
Agromilas			15.381			17.145	14.552	15.473	14.354
Friendli CS			15.320			16.843	15.130	14.836	14.472
Kovivio			14.417			15.475	13.848	15.331	13.014
KWS Johaninio			16.289			18.595	15.767	16.396	14.399
Adamanto			15.970			18.030	15.220	16.292	14.340
DKC 3096			15.255			17.645	14.673	14.571	14.131
SY Abelardo			14.942			16.453	14.054	15.105	14.158
SY Leopoldo			15.333			17.228	14.069	15.687	14.349
Mittel (B)	15.828	12.421	15.203	14.484	13.812	16.045	15.117	15.450	14.200

Anbaugesamt 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Biogasertrag relativ**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	102	101	100	101	101	103	95	102	101
Keops (B)	103	102	103	103	103	98	104	106	103
LG 31211* (B)	100	99	96	98	97	92	94	102	97
Mantilla (B)	99	98	100	99	99	100	103	97	100
Agro Fides (B)	95	100	99	98	99	99	99	96	102
DKC 2972 (B)	101	99	102	101	101	108	105	97	98
Susetta		96	96		96	98	89	100	97
Amavit		99	100		100	101	100	100	99
DKC 2684		100	100		100	101	98	97	104
Kaprilias		101	100		100	100	97	100	102
KWS Stefano		100	104		102	108	96	104	106
LG 31218*		94	97		96	104	94	95	94
LG 31227		96	100		98	103	99	95	103
Rancador		99	102		100	106	103	99	100
SY Amboss		100	102		101	107	100	97	106
P 7460			95			95	96	92	99
Agromilas			101			107	96	100	101
Friendli CS			101			105	100	96	102
Kovivio			95			96	92	99	92
KWS Johaninio			107			116	104	106	101
Adamanto			105			112	101	105	101
DKC 3096			100			110	97	94	100
SY Abelardo			98			103	93	98	100
SY Leopoldo			101			107	93	102	101
Mittel (B)	15.828	12.421	15.203	14.484	13.812	16.045	15.117	15.450	14.200

Anbaubereich 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Stärkegehalt in Gesamtpflanze %**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	34,12	27,95	33,47	31,85	30,71	36,00	34,23	32,22	31,45
Keops (B)	34,20	27,65	33,85	31,90	30,75	34,27	37,93	32,64	30,57
LG 31211* (B)	34,60	30,19	31,61	32,13	30,90	28,97	33,58	30,28	33,62
Mantilla (B)	33,91	27,80	33,55	31,75	30,67	32,80	36,37	32,02	33,02
Agro Fides (B)	34,00	30,03	34,00	32,68	32,02	32,57	38,43	32,53	32,47
DKC 2972 (B)	31,18	24,54	29,74	28,48	27,14	30,60	33,96	26,76	27,64
Susetta		25,09	31,11		28,10	28,43	34,44	30,81	30,75
Amavit		27,76	33,52		30,64	33,27	36,85	32,89	31,09
DKC 2684		25,78	32,79		29,29	31,23	37,61	30,64	31,70
Kaprilias		27,38	32,77		30,07	36,43	34,18	30,91	29,55
KWS Stefano		26,89	30,90		28,90	35,20	29,91	28,92	29,58
LG 31218*		29,00	33,43		31,22	31,80	37,04	32,94	31,96
LG 31227		25,34	29,81		27,58	31,13	29,53	27,89	30,70
Rancador		28,22	32,59		30,41	35,77	35,07	30,23	29,29
SY Amboss		25,70	31,32		28,51	30,33	33,44	30,21	31,29
P 7460			31,30			33,00	34,62	28,25	29,33
Agromilas			31,91			34,10	31,34	31,06	31,16
Friendli CS			31,69			33,20	34,60	29,37	29,59
Kovivio			29,21			26,47	30,42	30,51	29,44
KWS Johaninio			32,11			31,20	33,24	33,61	30,39
Adamanto			30,53			29,17	31,51	32,19	29,25
DKC 3096			29,99			28,27	33,20	27,59	30,92
SY Abelardo			33,48			32,10	35,47	33,38	32,97
SY Leopoldo			30,39			29,57	32,92	29,95	29,14
Mittel (B)	33,67	28,03	32,70	31,47	30,37	32,53	35,75	31,07	31,46

Anbaugesamt 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Stärkegehalt in Gesamtpflanze relativ**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	101	100	102	101	101	111	96	104	100
Keops (B)	102	99	104	101	101	105	106	105	97
LG 31211* (B)	103	108	97	102	102	89	94	97	107
Mantilla (B)	101	99	103	101	101	101	102	103	105
Agro Fides (B)	101	107	104	104	105	100	107	105	103
DKC 2972 (B)	93	88	91	91	89	94	95	86	88
Susetta		90	95		93	87	96	99	98
Amavit		99	103		101	102	103	106	99
DKC 2684		92	100		96	96	105	99	101
Kaprilias		98	100		99	112	96	99	94
KWS Stefano		96	94		95	108	84	93	94
LG 31218*		103	102		103	98	104	106	102
LG 31227		90	91		91	96	83	90	98
Rancador		101	100		100	110	98	97	93
SY Amboss		92	96		94	93	94	97	99
P 7460			96			101	97	91	93
Agromilas			98			105	88	100	99
Friendli CS			97			102	97	94	94
Kovivio			89			81	85	98	94
KWS Johaninio			98			96	93	108	97
Adamanto			93			90	88	104	93
DKC 3096			92			87	93	89	98
SY Abelardo			102			99	99	107	105
SY Leopoldo			93			91	92	96	93
Mittel (B)	33,67	28,03	32,70	31,47	30,37	32,53	35,75	31,07	31,46

Anbauggebiet 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Enzymlösliche organische Substanz in TM %**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	69,23	65,98	71,27	68,83	68,62	72,97	71,70	68,25	72,16
Keops (B)	69,62	65,93	71,77	69,10	68,85	72,73	73,77	69,15	71,42
LG 31211* (B)	70,41	68,80	71,52	70,24	70,16	71,40	71,83	69,05	73,80
Mantilla (B)	69,59	66,82	72,33	69,58	69,58	73,03	74,10	70,10	72,11
Agro Fides (B)	69,35	67,15	71,45	69,31	69,30	71,97	73,70	68,83	71,29
DKC 2972 (B)	67,71	65,61	70,51	67,94	68,06	70,60	72,85	67,40	71,18
Susetta		65,59	71,92		68,75	71,67	72,83	69,88	73,33
Amavit		65,34	70,01		67,67	70,40	71,58	68,20	69,87
DKC 2684		64,78	70,37		67,58	70,27	72,95	67,20	71,06
Kaprilias		66,78	71,30		69,04	73,70	72,05	68,95	70,50
KWS Stefano		65,28	69,77		67,53	72,10	69,53	66,58	70,87
LG 31218*		68,55	72,91		70,73	72,90	74,13	71,80	72,80
LG 31227		66,76	71,28		69,02	72,73	70,90	68,73	72,75
Rancador		67,16	71,63		69,39	73,67	73,10	68,83	70,91
SY Amboss		65,24	70,28		67,76	69,43	71,00	68,88	71,80
P 7460			68,99			70,17	71,33	64,75	69,70
Agromilas			71,03			72,43	70,68	69,30	71,70
Friendli CS			70,56			72,73	71,95	68,28	69,30
Kovivio			69,80			69,00	70,73	68,83	70,66
KWS Johaninio			71,03			71,53	71,73	70,30	70,54
Adamanto			71,16			71,73	72,15	69,93	70,82
DKC 3096			71,01			70,53	72,95	67,85	72,71
SY Abelardo			72,13			73,03	72,53	70,28	72,68
SY Leopoldo			72,29			73,23	73,28	70,35	72,29
Mittel (B)	69,32	66,71	71,47	69,17	69,09	72,12	72,99	68,80	71,99

Anbaugesamt 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Enzymlösliche organische Substanz in TM relativ**

Sorte	Jahr								
	2017	2018	2019	2017-2019	2018-2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	100	99	100	100	99	101	98	99	100
Keops (B)	100	99	100	100	100	101	101	101	99
LG 31211* (B)	102	103	100	102	102	99	98	100	103
Mantilla (B)	100	100	101	101	101	101	102	102	100
Agro Fides (B)	100	101	100	100	100	100	101	100	99
DKC 2972 (B)	98	98	99	98	99	98	100	98	99
Susetta		98	101		100	99	100	102	102
Amavit		98	98		98	98	98	99	97
DKC 2684		97	98		98	97	100	98	99
Kaprilias		100	100		100	102	99	100	98
KWS Stefano		98	98		98	100	95	97	98
LG 31218*		103	102		102	101	102	104	101
LG 31227		100	100		100	101	97	100	101
Rancador		101	100		100	102	100	100	99
SY Amboss		98	98		98	96	97	100	100
P 7460			97			97	98	94	97
Agromilas			99			100	97	101	100
Friendli CS			99			101	99	99	96
Kovivio			98			96	97	100	98
KWS Johaninio			99			99	98	102	98
Adamanto			100			99	99	102	98
DKC 3096			99			98	100	99	101
SY Abelardo			101			101	99	102	101
SY Leopoldo			101			102	100	102	100
Mittel (B)	69,32	66,71	71,47	69,17	69,09	72,12	72,99	68,80	71,99

Anbauggebiet 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****NEL/kg TM (NIRS) (ELOS, NDForg, XL, XA)**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	6,76	6,39	6,79	6,65	6,59	7,09	6,84	6,51	6,75
Keops (B)	6,75	6,35	6,80	6,64	6,58	7,06	6,96	6,56	6,64
LG 31211* (B)	6,65	6,50	6,66	6,60	6,58	6,85	6,64	6,40	6,75
Mantilla (B)	6,63	6,32	6,74	6,56	6,53	7,01	6,84	6,49	6,64
Agro Fides (B)	6,69	6,40	6,73	6,61	6,57	6,93	6,88	6,47	6,65
DKC 2972 (B)	6,44	6,23	6,58	6,42	6,41	6,78	6,73	6,30	6,52
Susetta		6,34	6,87		6,60	7,06	6,92	6,68	6,82
Amavit		6,29	6,66		6,47	6,83	6,81	6,45	6,54
DKC 2684		6,21	6,66		6,43	6,78	6,86	6,34	6,65
Kaprilias		6,38	6,76		6,57	7,16	6,82	6,49	6,56
KWS Stefano		6,29	6,63		6,46	6,98	6,64	6,34	6,58
LG 31218*		6,48	6,81		6,64	7,01	6,90	6,66	6,69
LG 31227		6,30	6,65		6,47	6,98	6,58	6,36	6,67
Rancador		6,45	6,80		6,63	7,19	6,92	6,53	6,58
SY Amboss		6,24	6,60		6,42	6,75	6,62	6,41	6,62
P 7460			6,53			6,76	6,70	6,17	6,49
Agromilas			6,70			7,01	6,62	6,51	6,66
Friendly CS			6,62			6,98	6,69	6,38	6,43
Kovivio			6,53			6,58	6,60	6,41	6,55
KWS Johaninio			6,69			6,91	6,75	6,56	6,56
Adamanto			6,73			6,96	6,79	6,55	6,62
DKC 3096			6,64			6,76	6,77	6,34	6,69
SY Abelardo			6,74			6,96	6,71	6,58	6,73
SY Leopoldo			6,71			6,92	6,79	6,51	6,62
Mittel (B)	6,65	6,37	6,72	6,58	6,54	6,95	6,81	6,45	6,66

Anbaugesamt 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****NEL/kg TM (relativ)**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	102	100	101	101	101	102	100	101	101
Keops (B)	102	100	101	101	101	102	102	102	100
LG 31211* (B)	100	102	99	100	101	99	97	99	101
Mantilla (B)	100	99	100	100	100	101	100	101	100
Agro Fides (B)	100	101	100	100	100	100	101	100	100
DKC 2972 (B)	97	98	98	98	98	97	99	98	98
Susetta		100	102		101	102	102	103	103
Amavit		99	99		99	98	100	100	98
DKC 2684		98	99		98	98	101	98	100
Kaprilias		100	101		100	103	100	101	99
KWS Stefano		99	99		99	100	97	98	99
LG 31218*		102	101		102	101	101	103	101
LG 31227		99	99		99	100	97	99	100
Rancador		101	101		101	103	102	101	99
SY Amboss		98	98		98	97	97	99	99
P 7460			97			97	98	96	98
Agromilas			100			101	97	101	100
Friendli CS			99			100	98	99	97
Kovivio			97			95	97	99	98
KWS Johaninio			100			99	99	102	99
Adamanto			100			100	100	101	99
DKC 3096			99			97	99	98	101
SY Abelardo			100			100	98	102	101
SY Leopoldo			100			100	100	101	99
Mittel (B)	6,65	6,37	6,72	6,58	6,54	6,95	6,81	6,45	6,66

Anbaubereich 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Biogasausbeute BGA (oTM) (Rath 2016)**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	764	828	792	794	810	868	760	747	794
Keops (B)	763	818	799	793	808	867	768	760	801
LG 31211* (B)	761	797	783	780	790	827	760	750	794
Mantilla (B)	741	792	782	772	787	816	776	742	793
Agro Fides (B)	741	808	791	780	799	862	763	733	806
DKC 2972 (B)	745	811	800	785	805	870	783	757	792
Susetta		792	771		781	818	752	723	791
Amavit		796	786		791	861	758	726	799
DKC 2684		808	789		799	848	759	743	807
Kaprilias		818	803		810	872	770	743	826
KWS Stefano		811	796		803	877	747	750	809
LG 31218*		773	789		781	868	761	731	795
LG 31227		777	786		782	848	773	733	792
Rancador		801	792		796	889	756	724	798
SY Amboss		815	807		811	888	772	760	810
P 7460			791			849	766	749	799
Agromilas			810			890	766	758	827
Friendli CS			802			869	770	761	809
Kovivio			781			822	759	750	793
KWS Johaninio			814			900	790	758	810
Adamanto			806			882	774	763	805
DKC 3096			771			849	732	718	783
SY Abelardo			781			852	749	733	790
SY Leopoldo			804			880	765	764	808
Mittel (B)	752	809	791	784	800	852	768	748	796

Anbaubereich 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Biogasausbeute relativ**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	101	102	100	101	101	102	99	100	100
Keops (B)	101	101	101	101	101	102	100	102	101
LG 31211* (B)	101	99	99	100	99	97	99	100	100
Mantilla (B)	98	98	99	98	98	96	101	99	100
Agro Fides (B)	99	100	100	99	100	101	99	98	101
DKC 2972 (B)	99	100	101	100	101	102	102	101	99
Susetta		98	97		98	96	98	97	99
Amavit		98	99		99	101	99	97	100
DKC 2684		100	100		100	100	99	99	101
Kaprilias		101	101		101	102	100	99	104
KWS Stefano		100	101		100	103	97	100	102
LG 31218*		96	100		98	102	99	98	100
LG 31227		96	99		98	100	101	98	99
Rancador		99	100		100	104	98	97	100
SY Amboss		101	102		101	104	100	102	102
P 7460			100			100	100	100	100
Agromilas			102			104	100	101	104
Friendli CS			101			102	100	102	102
Kovivio			99			97	99	100	100
KWS Johaninio			103			106	103	101	102
Adamanto			102			104	101	102	101
DKC 3096			97			100	95	96	98
SY Abelardo			99			100	97	98	99
SY Leopoldo			102			103	100	102	101
Mittel (B)	752	809	791	784	800	852	768	748	796

Anbaubereich 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Lagerpflanzen vor Ernte %**

Sorte	Jahr								
	2017	2018	2019	2017-2019	2018-2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	2	32	2	12	17	0	9	0	0
Keops (B)	1	14	1	5	8	0	3	1	0
LG 31211* (B)	2	5	7	5	6	0	27	0	0
Mantilla (B)	5	6	2	5	4	0	8	0	0
Agro Fides (B)	2	17	1	7	9	0	3	0	0
DKC 2972 (B)	2	5	0	2	3	0	1	0	1
Susetta		11	9		10	0	34	0	1
Amavit		11	2		7	1	9	0	0
DKC 2684		9	2		6	1	7	2	0
Kaprilias		12	0		6	0	1	0	0
KWS Stefano		18	2		10	0	8	1	0
LG 31218*		6	11		8	0	42	0	0
LG 31227		13	1		7	0	3	0	0
Rancador		23	2		12	1	7	0	0
SY Amboss		5	0		3	0	1	0	0
P 7460			2			0	6	1	0
Agromilas			1			0	2	0	2
Friendli CS			9			0	36	0	0
Kovivio			7			0	26	1	0
KWS Johaninio			0			0	1	0	0
Adamanto			1			0	3	0	0
DKC 3096			1			0	3	0	0
SY Abelardo			4			1	15	0	0
SY Leopoldo			7			0	28	1	0
Mittel (B)	2	13	2	6	8	0	8	0	0

Anbaubereich 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Stängelfäule %**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	20	14	17	17	15	0	5	61	0
Keops (B)	9	21	16	15	18	0	8	55	0
LG 31211* (B)	3	6	11	7	8	0	8	35	0
Mantilla (B)	5	8	6	6	7	0	5	20	0
Agro Fides (B)	10	5	9	8	7	0	5	33	0
DKC 2972 (B)	3	4	10	6	7	0	9	30	0
Susetta		10	4		7	0	1	15	0
Amavit		6	7		6	0	4	24	0
DKC 2684		4	5		5	0	6	15	0
Kaprilias		14	11		13	0	8	36	0
KWS Stefano		8	15		11	0	5	54	0
LG 31218*		6	12		9	0	6	40	0
LG 31227		1	9		5	0	4	34	0
Rancador		6	10		8	0	3	39	0
SY Amboss		12	19		16	0	8	69	0
P 7460			13			0	1	49	0
Agromilas			18			0	6	68	0
Friendli CS			11			0	8	35	0
Kovivio			9			0	1	35	0
KWS Johaninio			13			0	4	50	0
Adamanto			13			0	4	46	0
DKC 3096			6			0	5	18	0
SY Abelardo			14			0	5	51	0
SY Leopoldo			8			0	8	24	0
Mittel (B)	8	10	11	10	11	0	6	39	0

Anbaubereich 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Bestockung %**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	0	0	1	0	0	2	0	0	0
Keops (B)	0	0	1	0	1	2	0	1	0
LG 31211* (B)	2	1	2	1	1	4	0	2	1
Mantilla (B)	1	0	0	0	0	1	0	0	0
Agro Fides (B)	1	0	0	0	0	0	0	1	1
DKC 2972 (B)	2	1	1	1	1	1	0	1	0
Susetta		1	4		2	9	0	3	3
Amavit		0	1		1	3	0	1	0
DKC 2684		1	2		2	6	0	2	1
Kaprilias		0	0		0	0	0	0	0
KWS Stefano		0	0		0	0	0	0	0
LG 31218*		3	4		4	7	0	5	4
LG 31227		0	0		0	0	0	1	1
Rancador		0	0		0	0	0	0	0
SY Amboss		0	1		1	4	0	1	1
P 7460			1			2	0	0	2
Agromilas			0			0	0	0	0
Friendli CS			0			1	0	1	0
Kovivio			1			2	1	0	0
KWS Johaninio			0			1	0	1	0
Adamanto			0			1	0	0	0
DKC 3096			0			0	0	0	0
SY Abelardo			1			0	1	0	3
SY Leopoldo			1			3	0	1	0
Mittel (B)	1	0	1	1	1	2	0	1	0

Anbaugesamt 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Pflanzenlänge cm**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	296	254	280	277	267	267	268	310	277
Keops (B)	294	258	279	277	268	268	267	301	279
LG 31211* (B)	278	257	275	270	266	265	262	300	274
Mantilla (B)	297	270	293	287	282	288	277	313	295
Agro Fides (B)	282	251	271	268	261	259	259	294	273
DKC 2972 (B)	286	245	269	266	257	264	257	291	264
Susetta		259	282		270	280	272	298	278
Amavit		265	285		275	274	275	311	281
DKC 2684		256	277		267	265	265	301	276
Kaprilias		247	267		257	266	256	288	261
KWS Stefano		259	285		272	275	274	313	278
LG 31218*		254	277		266	268	270	300	272
LG 31227		256	287		272	273	279	309	289
Rancador		256	282		269	273	268	311	278
SY Amboss		264	285		275	283	274	305	280
P 7460			272			269	270	289	263
Agromilas			274			265	263	296	271
Friendli CS			280			276	277	293	275
Kovivio			271			269	260	299	257
KWS Johaninio			270			269	256	286	267
Adamanto			276			272	267	300	267
DKC 3096			278			276	264	301	270
SY Abelardo			274			262	265	295	272
SY Leopoldo			268			262	257	295	256
Mittel (B)	289	256	278	274	267	269	265	301	277

Anbaugesamt 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Pflanzenlänge relativ**

Sorte	Jahr								
	2017	2018	2019	2017- 2019	2018- 2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	103	99	101	101	100	99	101	103	100
Keops (B)	102	101	100	101	101	100	101	100	101
LG 31211* (B)	96	101	99	99	100	99	99	100	99
Mantilla (B)	103	106	105	105	105	107	104	104	107
Agro Fides (B)	98	98	98	98	98	96	98	97	99
DKC 2972 (B)	99	96	97	97	96	98	97	97	95
Susetta		101	101		101	104	103	99	100
Amavit		103	103		103	102	104	103	101
DKC 2684		100	100		100	99	100	100	100
Kaprilias		97	96		96	99	97	95	94
KWS Stefano		101	102		102	102	103	104	100
LG 31218*		99	100		99	100	102	100	98
LG 31227		100	103		102	102	105	102	104
Rancador		100	102		101	102	101	103	101
SY Amboss		103	103		103	106	103	101	101
P 7460			98			100	102	96	95
Agromilas			99			99	99	98	98
Friendli CS			101			103	105	97	99
Kovivio			98			100	98	99	93
KWS Johaninio			97			100	97	95	96
Adamanto			99			101	101	100	97
DKC 3096			100			103	100	100	98
SY Abelardo			98			98	100	98	98
SY Leopoldo			96			98	97	98	93
Mittel (B)	289	256	278	274	267	269	265	301	277

Anbaubereich 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Mängel im Stand nach Aufgang**

Sorte	Jahr								
	2017	2018	2019	2017-2019	2018-2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	1	2	1	1	1	1	1	1	1
Keops (B)	1	2	1	1	1	1	1	1	1
LG 31211* (B)	1	2	1	1	1	1	1	1	1
Mantilla (B)	1	1	1	1	1	2	1	1	1
Agro Fides (B)	1	1	1	1	1	1	1	1	1
DKC 2972 (B)	1	2	1	1	1	1	1	1	1
Susetta		2	1		2	2	1	1	1
Amavit		2	1		1	1	1	1	1
DKC 2684		2	1		1	2	1	1	1
Kaprilias		2	1		1	1	1	1	1
KWS Stefano		2	1		1	1	1	1	1
LG 31218*		2	1		1	1	1	1	1
LG 31227		2	1		1	1	1	1	1
Rancador		2	1		2	1	1	1	1
SY Amboss		2	1		1	1	1	1	1
P 7460			1			2	1	1	1
Agromilas			1			1	1	1	1
Friendli CS			1			2	1	1	1
Kovivio			1			2	1	1	1
KWS Johaninio			1			1	1	1	1
Adamanto			1			1	1	1	1
DKC 3096			1			1	1	1	1
SY Abelardo			1			1	1	1	1
SY Leopoldo			1			1	1	1	1
Mittel (B)	1	2	1	1	1	1	1	1	1

Anbaubereich 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Mängel nach Abschluß d. weiblichen Blüte**

Sorte	Jahr								
	2017	2018	2019	2017-2019	2018-2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	1	2	1	2	2	1	1	1	2
Keops (B)	1	2	1	1	2	1	1	1	2
LG 31211* (B)	1	1	1	1	1	1	1	1	1
Mantilla (B)	1	1	1	1	1	1	1	1	1
Agro Fides (B)	1	2	1	1	1	1	1	1	2
DKC 2972 (B)	1	2	1	1	1	1	1	1	2
Susetta		2	1		1	1	1	1	2
Amavit		2	1		1	1	1	1	1
DKC 2684		2	1		1	1	1	1	2
Kaprilias		2	1		1	1	1	1	2
KWS Stefano		2	1		2	1	1	1	2
LG 31218*		2	1		1	1	1	1	1
LG 31227		2	1		1	1	1	1	2
Rancador		2	1		2	1	1	1	2
SY Amboss		1	1		1	1	1	1	2
P 7460			1			1	1	1	1
Agromilas			1			1	1	1	1
Friendli CS			1			1	1	1	1
Kovivio			1			1	1	1	2
KWS Johaninio			1			1	1	1	2
Adamanto			1			1	1	1	2
DKC 3096			1			1	1	1	1
SY Abelardo			1			1	1	1	1
SY Leopoldo			1			1	1	1	1
Mittel (B)	1	2	1	1	1	1	1	1	2

Anbaubereich 19

Auswertungsserie: SF_Lö_17_19; Jahr: 2019

Datum der weiblichen Blüte

Sorte	Jahr		2019				
	2017	2018	2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	16.07.2017	11.07.2018	21.07.2019	25.07.2019	19.07.2019	18.07.2019	25.07.2019
Keops (B)	16.07.2017	11.07.2018	22.07.2019	26.07.2019	19.07.2019	18.07.2019	26.07.2019
LG 31211* (B)	15.07.2017	10.07.2018	21.07.2019	25.07.2019	19.07.2019	19.07.2019	24.07.2019
Mantilla (B)	18.07.2017	11.07.2018	23.07.2019	27.07.2019	20.07.2019	20.07.2019	26.07.2019
Agro Fides (B)	17.07.2017	11.07.2018	22.07.2019	25.07.2019	19.07.2019	19.07.2019	26.07.2019
DKC 2972 (B)	19.07.2017	15.07.2018	25.07.2019	27.07.2019	24.07.2019	25.07.2019	27.07.2019
Susetta		12.07.2018	22.07.2019	25.07.2019	22.07.2019	20.07.2019	24.07.2019
Amavit		13.07.2018	24.07.2019	26.07.2019	24.07.2019	21.07.2019	25.07.2019
DKC 2684		13.07.2018	23.07.2019	27.07.2019	20.07.2019	20.07.2019	26.07.2019
Kaprilias		11.07.2018	23.07.2019	26.07.2019	23.07.2019	19.07.2019	25.07.2019
KWS Stefano		11.07.2018	23.07.2019	25.07.2019	24.07.2019	18.07.2019	26.07.2019
LG 31218*		10.07.2018	21.07.2019	25.07.2019	19.07.2019	18.07.2019	22.07.2019
LG 31227		11.07.2018	23.07.2019	25.07.2019	24.07.2019	19.07.2019	24.07.2019
Rancador		12.07.2018	22.07.2019	25.07.2019	22.07.2019	18.07.2019	26.07.2019
SY Amboss		15.07.2018	24.07.2019	28.07.2019	22.07.2019	22.07.2019	27.07.2019
P 7460			25.07.2019	28.07.2019	25.07.2019	22.07.2019	27.07.2019
Agromilas			24.07.2019	26.07.2019	25.07.2019	19.07.2019	26.07.2019
Friendli CS			24.07.2019	25.07.2019	20.07.2019	25.07.2019	26.07.2019
Kovivio			25.07.2019	27.07.2019	22.07.2019	25.07.2019	26.07.2019
KWS Johaninio			23.07.2019	25.07.2019	22.07.2019	20.07.2019	25.07.2019
Adamanto			24.07.2019	25.07.2019	23.07.2019	22.07.2019	26.07.2019
DKC 3096			25.07.2019	28.07.2019	24.07.2019	23.07.2019	27.07.2019
SY Abelardo			24.07.2019	26.07.2019	22.07.2019	22.07.2019	26.07.2019
SY Leopoldo			25.07.2019	25.07.2019	25.07.2019	24.07.2019	28.07.2019

Anbaubereich 19**Auswertungsserie: SF_Lö_17_19; Jahr: 2019****Abreifegrad der Blätter**

Sorte	Jahr								
	2017	2018	2019	2017-2019	2018-2019	Friemar	Nossen	Pommritz	Walbeck
Amanova (B)	4	6	4	5	5	5	4	4	5
Keops (B)	4	5	4	4	4	5	3	3	4
LG 31211* (B)	4	5	4	4	4	3	4	3	5
Mantilla (B)	5	5	4	5	5	4	3	4	5
Agro Fides (B)	4	5	4	4	5	5	3	3	5
DKC 2972 (B)	4	5	4	4	4	3	3	4	4
Susetta		5	4		4	3	3	3	5
Amavit		5	4		5	5	3	3	6
DKC 2684		5	4		5	4	3	4	6
Kaprilias		5	4		4	6	4	3	4
KWS Stefano		5	5		5	7	4	3	5
LG 31218*		5	4		4	5	3	4	5
LG 31227		4	4		4	5	4	3	5
Rancador		5	4		5	6	3	3	5
SY Amboss		4	3		4	4	4	3	3
P 7460			4			5	3	3	5
Agromilas			4			5	3	4	5
Friendli CS			5			7	4	5	6
Kovivio			5			5	3	4	6
KWS Johaninio			4			5	3	3	6
Adamanto			4			5	4	3	4
DKC 3096			4			3	4	4	4
SY Abelardo			4			6	3	4	5
SY Leopoldo			4			5	4	3	5
Mittel (B)	4	5	4	4	5	4	3	3	5