

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**TS Gesamtpflanze (NIRS) %**

Sorte	Jahr			2015-2017	2016-2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnwalde
Farmgigant* (B)	32,2	35,9	32,7	33,6	34,3	34,0	30,1	32,5	34,1
P 9027 (B)	30,5	36,2	32,0	32,9	34,1	31,3	30,1	33,8	32,9
Katari CS (B)	30,7	34,9	31,3	32,3	33,1	32,2	29,4	31,2	32,5
Norico (B)	31,5	34,1	31,8	32,4	32,9	32,8	30,7	31,9	31,7
Walterinio KWS (B)	31,5	34,9	31,7	32,7	33,3	31,9	29,6	33,8	31,4
Corioli CS* (B)	31,4	34,2	30,1	31,9	32,1	30,3	29,3	30,9	30,0
MAS 26 T (B)	29,6	32,8	30,7	31,1	31,8	31,3	28,2	31,2	32,2
Batisti CS		35,8	32,8		34,3	32,8	30,9	33,2	34,4
DS 1439B/Supiter*		35,0	31,4		33,2	31,3	31,7	31,0	31,5
ES Watson		35,4	32,9		34,1	32,7	31,7	33,8	33,4
P 8134		35,8	32,0		33,9	30,4	30,0	35,9	32,0
P 8821		35,0	31,1		33,1	30,2	29,7	32,3	32,4
P 8613		35,3	31,3		33,3	30,3	29,5	31,9	33,5
P 8704		34,7	30,3		32,5	28,9	29,2	31,2	31,9
SY Monolit		34,5	31,1		32,8	31,6	28,7	32,1	32,0
RGT Karlaxx		34,7	31,4		33,0	31,2	30,0	32,4	32,0
ES Skywalker			32,3			34,7	30,0	32,1	32,5
P 8666			32,3			32,1	30,1	33,6	33,6
SY Gordius			31,7			32,4	29,9	30,2	34,2
Agrometha			31,3			31,7	29,1	32,6	31,6
DKC 3561			31,4			32,4	29,6	32,0	31,4
Matthew*			31,5			32,0	29,2	32,8	32,0
Erasmus			31,0			30,2	30,4	31,1	32,4
MAS 24 C			29,9			30,4	29,0	28,7	31,3
P 8888			31,4			30,5	30,5	33,3	31,2
Poesi CS			31,2			32,2	30,4	30,7	31,4
Mittel (B)	31,1	34,7	31,5	32,4	33,1	32,0	29,6	32,2	32,1

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**TS Gesamtpflanze (NIRS) % (relativ)**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	104	103	104	104	104	106	102	101	106
P 9027 (B)	98	104	102	102	103	98	102	105	102
Katari CS (B)	99	101	100	100	100	101	99	97	101
Norico (B)	101	98	101	100	99	103	104	99	99
Walterinio KWS (B)	101	101	101	101	101	100	100	105	98
Corioli CS* (B)	101	98	96	98	97	95	99	96	93
MAS 26 T (B)	95	95	98	96	96	98	95	97	100
Batisti CS		103	104		104	103	104	103	107
DS 1439B/Supiter*		101	100		100	98	107	96	98
ES Watson		102	105		103	102	107	105	104
P 8134		103	102		103	95	101	111	100
P 8821		101	99		100	94	100	100	101
P 8613		102	99		101	95	99	99	104
P 8704		100	96		98	90	99	97	99
SY Monolit		99	99		99	99	97	100	100
RGT Karlaxx		100	100		100	98	101	101	100
ES Skywalker			103			108	101	100	101
P 8666			103			100	102	104	104
SY Gordius			101			101	101	94	106
Agrometha			99			99	98	101	98
DKC 3561			100			101	100	99	98
Matthew*			100			100	99	102	99
Erasmus			98			94	102	97	101
MAS 24 C			95			95	98	89	97
P 8888			100			96	103	104	97
Poesi CS			99			101	103	95	98
Mittel (B)	31,1	34,7	31,5	32,4	33,1	32,0	29,6	32,2	32,1

## Anbauggebiet 20: D-Süd

Auswertungsserie: SS\_15\_17; Jahr: 2017

Gesamttrockenmasse (Silomais NIRS) dt/ha

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	158,5	181,6	213,0	184,4	197,3	202,63	221,48	196,05	231,74
P 9027 (B)	152,5	168,4	223,1	181,3	195,7	191,20	228,91	210,99	261,40
Katari CS (B)	159,6	170,1	221,0	183,5	195,5	198,89	229,46	209,29	246,24
Norico (B)	162,7	175,6	211,7	183,3	193,6	204,52	238,52	190,72	212,88
Walterinio KWS (B)	162,4	179,5	238,5	193,5	209,0	221,18	240,50	213,89	278,43
Corioli CS* (B)	168,1	185,6	217,0	190,2	201,3	201,28	222,05	206,89	237,67
MAS 26 T (B)	173,7	186,2	221,5	193,8	203,9	210,59	211,35	195,80	268,40
Batisti CS		190,7	218,5		204,6	191,91	237,43	193,93	250,69
DS 1439B/Supiter*		182,9	229,1		206,0	206,27	243,05	217,75	249,20
ES Watson		182,6	224,3		203,4	202,17	245,98	207,17	241,74
P 8134		174,7	224,3		199,5	206,89	232,00	220,11	238,13
P 8821		180,9	217,0		199,0	202,64	234,86	192,98	237,70
P 8613		171,8	218,6		195,2	196,93	236,30	195,23	246,04
P 8704		175,7	231,1		203,4	208,40	256,19	203,52	256,24
SY Monolit		186,4	229,7		208,0	214,85	229,08	220,43	254,32
RGT Karlaxx		178,2	226,4		202,3	207,73	241,70	199,87	256,28
ES Skywalker			221,2			209,57	230,02	209,29	236,01
P 8666			232,0			206,52	228,88	212,38	280,12
SY Gordius			222,1			192,47	236,08	207,12	252,90
Agrometha			229,5			213,41	230,85	220,88	252,68
DKC 3561			225,2			215,35	240,18	201,95	243,46
Matthew*			229,5			201,64	245,96	219,69	250,80
Erasmus			227,0			206,33	244,30	225,02	232,29
MAS 24 C			221,8			211,17	235,51	190,60	249,83
P 8888			234,3			202,48	243,56	227,99	263,20
Poesi CS			231,5			222,91	237,34	215,47	250,48
Mittel (B)	162,5	178,1	220,8	187,1	199,5	204,33	227,47	203,38	248,11

**Anbaugbiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Gesamttrockenmasse (Silomais NIRS) dt/ha (relativ)**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	98	102	96	99	99	99	97	96	93
P 9027 (B)	94	95	101	97	98	94	101	104	105
Katari CS (B)	98	95	100	98	98	97	101	103	99
Norico (B)	100	99	96	98	97	100	105	94	86
Walterinio KWS (B)	100	101	108	103	105	108	106	105	112
Corioli CS* (B)	103	104	98	102	101	99	98	102	96
MAS 26 T (B)	107	105	100	104	102	103	93	96	108
Batisti CS		107	99		103	94	104	95	101
DS 1439B/Supiter*		103	104		103	101	107	107	100
ES Watson		103	102		102	99	108	102	97
P 8134		98	102		100	101	102	108	96
P 8821		102	98		100	99	103	95	96
P 8613		96	99		98	96	104	96	99
P 8704		99	105		102	102	113	100	103
SY Monolit		105	104		104	105	101	108	103
RGT Karlaxx		100	103		101	102	106	98	103
ES Skywalker			100			103	101	103	95
P 8666			105			101	101	104	113
SY Gordius			101			94	104	102	102
Agrometha			104			104	101	109	102
DKC 3561			102			105	106	99	98
Matthew*			104			99	108	108	101
Erasmus			103			101	107	111	94
MAS 24 C			100			103	104	94	101
P 8888			106			99	107	112	106
Poesi CS			105			109	104	106	101
Mittel (B)	162,5	178,1	220,8	187,1	199,5	204,3	227,5	203,4	248,1

## Anbaugelbiet 20: D-Süd

Auswertungsserie: SS\_15\_17; Jahr: 2017

NEL GJ/ha (NIRS) (ELOS, NDForg, XL, XA)

Sorte	Jahr			2015-2017	2016-2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	109,2	122,6	144,4	125,4	133,5	141,4	148,2	128,7	159,5
P 9027 (B)	101,3	109,1	143,6	118,0	126,3	123,4	147,7	135,5	167,7
Katari CS (B)	109,0	115,3	148,2	124,2	131,8	135,0	151,9	140,4	165,7
Norico (B)	109,9	117,8	141,3	123,0	129,5	138,5	157,5	127,1	142,3
Walterinio KWS (B)	110,3	118,8	160,8	130,0	139,8	150,7	159,2	143,5	189,9
Corioli CS* (B)	112,1	122,2	140,4	124,9	131,3	132,2	140,3	135,0	154,2
MAS 26 T (B)	115,3	120,2	143,2	126,2	131,7	139,0	131,7	126,6	175,6
Batisti CS		125,5	145,1		135,3	128,4	154,9	130,3	166,8
DS 1439B/Supiter*		122,5	151,7		137,1	135,7	160,5	142,0	168,6
ES Watson		123,3	152,5		137,9	136,3	167,5	142,2	164,2
P 8134		114,9	147,3		131,1	137,6	151,4	144,9	155,4
P 8821		120,0	140,6		130,3	132,8	151,4	123,6	154,7
P 8613		114,1	144,7		129,4	130,4	155,0	129,1	164,2
P 8704		114,7	150,3		132,5	133,7	168,7	131,0	167,8
SY Monolit		122,7	151,4		137,0	145,0	145,3	147,9	167,4
RGT Karlaxx		117,0	148,0		132,5	136,1	157,3	129,1	169,5
ES Skywalker			151,3			147,8	152,7	143,6	161,0
P 8666			150,2			135,5	144,8	138,3	182,3
SY Gordius			151,8			131,0	156,6	142,2	177,3
Agrometha			150,1			140,9	149,3	142,9	167,2
DKC 3561			148,7			143,0	157,2	133,4	161,0
Matthew*			149,3			130,1	157,3	144,2	165,6
Erasmus			154,5			139,2	161,0	156,6	161,1
MAS 24 C			144,7			140,6	151,0	121,6	165,8
P 8888			151,0			130,7	156,7	147,9	168,6
Poesi CS			154,3			150,8	154,9	145,4	166,1
Mittel (B)	109,6	118,0	146,0	124,5	132,0	137,2	148,0	133,8	165,0

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**NEL GJ/ha (NIRS) (relativ)**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	100	104	99	101	101	103	100	96	97
P 9027 (B)	92	92	98	95	96	90	100	101	102
Katari CS (B)	99	98	102	100	100	98	103	105	100
Norico (B)	100	100	97	99	98	101	106	95	86
Walterinio KWS (B)	101	101	110	104	106	110	108	107	115
Corioli CS* (B)	102	104	96	100	99	96	95	101	93
MAS 26 T (B)	105	102	98	101	100	101	89	95	106
Batisti CS		106	99		103	94	105	97	101
DS 1439B/Supiter*		104	104		104	99	108	106	102
ES Watson		104	104		104	99	113	106	100
P 8134		97	101		99	100	102	108	94
P 8821		102	96		99	97	102	92	94
P 8613		97	99		98	95	105	96	99
P 8704		97	103		100	97	114	98	102
SY Monolit		104	104		104	106	98	111	101
RGT Karlaxx		99	101		100	99	106	96	103
ES Skywalker			104			108	103	107	98
P 8666			103			99	98	103	111
SY Gordius			104			95	106	106	107
Agrometha			103			103	101	107	101
DKC 3561			102			104	106	100	98
Matthew*			102			95	106	108	100
Erasmus			106			101	109	117	98
MAS 24 C			99			102	102	91	101
P 8888			103			95	106	111	102
Poesi CS			106			110	105	109	101
Mittel (B)	109,6	118,0	146,0	124,5	132,0	137,2	148,0	133,8	165,0

**Anbauggebiet 20: D-Süd**  
**Auswertungsserie: SS\_15\_17; Jahr: 2017**  
**Stärkeertrag (Mais) dt/ha**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	53,3	55,9	72,6	60,6	64,3	75,1	74,5	66,4	74,4
P 9027 (B)	48,3	52,7	77,4	59,5	65,0	67,7	82,3	73,2	86,3
Katari CS (B)	51,9	54,4	75,0	60,4	64,7	70,3	73,4	75,0	81,4
Norico (B)	54,7	56,6	74,0	61,8	65,3	73,7	80,6	68,2	73,4
Walterinio KWS (B)	50,0	54,4	81,2	61,8	67,8	77,7	78,2	77,2	91,7
Corioli CS* (B)	48,7	53,4	63,5	55,2	58,4	60,8	60,9	65,8	66,4
MAS 26 T (B)	46,9	45,8	64,4	52,4	55,1	62,5	54,2	62,7	78,4
Batisti CS		57,5	71,6		64,6	63,1	75,5	69,4	78,5
DS 1439B/Supiter*		56,7	69,5		63,1	59,5	72,3	70,3	75,9
ES Watson		50,8	70,4		60,6	60,7	76,1	71,3	73,3
P 8134		57,0	79,4		68,2	76,9	82,1	76,9	81,8
P 8821		59,5	68,2		63,9	67,3	70,8	57,4	77,3
P 8613		55,9	73,1		64,5	67,8	76,3	69,5	78,9
P 8704		56,7	78,7		67,7	71,7	94,1	63,3	85,9
SY Monolit		58,6	75,5		67,0	75,5	64,7	79,1	82,6
RGT Karlaxx		51,8	70,1		60,9	66,2	72,4	63,4	78,3
ES Skywalker			71,1			74,2	64,2	73,1	72,8
P 8666			69,4			64,8	64,9	67,9	80,0
SY Gordius			70,5			62,3	67,3	72,4	79,9
Agrometha			73,7			70,4	72,4	70,5	81,6
DKC 3561			70,0			68,1	75,9	64,7	71,2
Matthew*			69,4			61,2	67,1	74,8	74,4
Erasmus			68,9			63,1	64,2	79,2	69,3
MAS 24 C			70,0			72,8	69,4	54,8	83,2
P 8888			68,4			58,5	69,2	74,8	71,3
Poesi CS			71,8			69,2	68,1	77,7	72,3
Mittel (B)	50,6	53,3	72,6	58,8	62,9	69,7	72,0	69,8	78,8

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Stärkeertrag (Mais) dt/ha (relativ)**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	106	105	100	103	102	108	103	95	94
P 9027 (B)	96	99	107	101	103	97	114	105	109
Katari CS (B)	103	102	103	103	103	101	102	107	103
Norico (B)	108	106	102	105	104	106	112	98	93
Walterinio KWS (B)	99	102	112	105	108	112	109	111	116
Corioli CS* (B)	96	100	87	94	93	87	85	94	84
MAS 26 T (B)	93	86	89	89	88	90	75	90	99
Batisti CS		108	99		103	91	105	99	100
DS 1439B/Supiter*		106	96		100	85	100	101	96
ES Watson		95	97		96	87	106	102	93
P 8134		107	109		108	110	114	110	104
P 8821		112	94		102	97	98	82	98
P 8613		105	101		103	97	106	100	100
P 8704		106	108		108	103	131	91	109
SY Monolit		110	104		107	108	90	113	105
RGT Karlaxx		97	97		97	95	100	91	99
ES Skywalker			98			107	89	105	92
P 8666			96			93	90	97	101
SY Gordius			97			89	93	104	101
Agrometha			102			101	100	101	103
DKC 3561			96			98	105	93	90
Matthew*			96			88	93	107	94
Erasmus			95			91	89	113	88
MAS 24 C			97			104	96	79	106
P 8888			94			84	96	107	90
Poesi CS			99			99	95	111	92
Mittel (B)	50,6	53,3	72,6	58,8	62,9	69,7	72,0	69,8	78,8

**Anbauggebiet 20: D-Süd**  
**Auswertungsserie: SS\_15\_17; Jahr: 2017**  
**Biogasertrag BGE (oTM) (Rath 2016)**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	10891	12329	15776	12999	14053	16061	16877	12516	17652
P 9027 (B)	10006	11345	15596	12316	13471	13645	16156	13777	18807
Katari CS (B)	10838	11539	16046	12808	13793	15077	16783	13757	18567
Norico (B)	10990	11615	15080	12562	13348	15336	17056	12342	15588
Walterinio KWS (B)	10736	11761	16823	13107	14292	16284	17254	13533	20224
Corioli CS* (B)	11102	12360	15155	12872	13758	14720	15873	12867	17161
MAS 26 T (B)	10992	11712	15038	12580	13375	14893	14184	12012	19063
Batisti CS		12629	15665		14147	14206	17522	12206	18727
DS 1439B/Supiter*		12243	15915		14079	14654	17442	13493	18072
ES Watson		11713	15395		13554	14382	17061	12569	17568
P 8134		11895	15630		13763	14850	16074	14752	16845
P 8821		12000	14706		13353	13955	16284	12108	16477
P 8613		11182	14834		13008	13842	15890	12209	17393
P 8704		11380	15332		13356	13939	17487	12178	17725
SY Monolit		12371	15919		14145	15888	15276	14127	18384
RGT Karlaxx		11736	15497		13617	14828	16786	12469	17906
ES Skywalker			15597			16315	15885	12508	17679
P 8666			16781			15458	16395	14199	21072
SY Gordius			15667			14633	16821	12600	18616
Agrometha			16370			15861	16274	14473	18873
DKC 3561			15865			15667	17860	12785	17148
Matthew*			15895			14525	17365	13804	17885
Erasmus			15641			14825	16944	13942	16852
MAS 24 C			14535			14648	14787	11581	17123
P 8888			16098			14078	16908	14892	18517
Poesi CS			16649			17009	17157	13860	18569
Mittel (B)	10794	11809	15645	12749	13727	15145	16312	12972	18152

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Biogasertrag BGE (oTM) (Rath 2016) (relativ)**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	101	104	101	102	102	106	103	96	97
P 9027 (B)	93	96	100	97	98	90	99	106	104
Katari CS (B)	100	98	103	100	100	100	103	106	102
Norico (B)	102	98	96	99	97	101	105	95	86
Walterinio KWS (B)	99	100	108	103	104	108	106	104	111
Corioli CS* (B)	103	105	97	101	100	97	97	99	95
MAS 26 T (B)	102	99	96	99	97	98	87	93	105
Batisti CS		107	100		103	94	107	94	103
DS 1439B/Supiter*		104	102		103	97	107	104	100
ES Watson		99	98		99	95	105	97	97
P 8134		101	100		100	98	99	114	93
P 8821		102	94		97	92	100	93	91
P 8613		95	95		95	91	97	94	96
P 8704		96	98		97	92	107	94	98
SY Monolit		105	102		103	105	94	109	101
RGT Karlaxx		99	99		99	98	103	96	99
ES Skywalker			100			108	97	96	97
P 8666			107			102	101	109	116
SY Gordius			100			97	103	97	103
Agrometha			105			105	100	112	104
DKC 3561			101			103	109	99	94
Matthew*			102			96	106	106	99
Erasmus			100			98	104	107	93
MAS 24 C			93			97	91	89	94
P 8888			103			93	104	115	102
Poesi CS			106			112	105	107	102
Mittel (B)	10794	11809	15645	12749	13727	15145	16312	12972	18152

## Anbaugelände 20: D-Süd

Auswertungsserie: SS\_15\_17; Jahr: 2017

Stärkegehalt in Gesamtpflanze %

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnwalde
Farmgigant* (B)	33,75	30,15	34,18	32,69	32,16	37,11	33,66	33,85	32,08
P 9027 (B)	31,42	30,90	34,73	32,35	32,81	35,43	35,91	34,57	33,01
Katari CS (B)	32,50	31,72	34,07	32,76	32,90	35,38	31,95	35,88	33,08
Norico (B)	33,64	31,81	34,95	33,47	33,38	36,01	33,76	35,73	34,28
Walterinio KWS (B)	30,41	29,61	34,14	31,39	31,88	35,03	32,53	36,03	32,99
Corioli CS* (B)	28,87	28,48	29,31	28,89	28,90	30,10	27,42	31,80	27,91
MAS 26 T (B)	26,86	23,83	29,17	26,62	26,50	29,60	25,66	32,21	29,20
Batisti CS		29,81	32,93		31,37	32,88	31,83	35,66	31,35
DS 1439B/Supiter*		30,94	30,30		30,62	28,78	29,70	32,29	30,44
ES Watson		27,25	31,38		29,31	30,05	30,91	34,28	30,27
P 8134		31,77	35,46		33,62	37,14	35,35	35,03	34,33
P 8821		32,09	31,38		31,73	33,02	30,14	29,91	32,46
P 8613		31,98	33,62		32,80	34,43	32,33	35,65	32,07
P 8704		31,99	33,91		32,95	34,41	36,72	31,06	33,45
SY Monolit		30,90	32,91		31,91	35,10	28,21	35,87	32,46
RGT Karlaxx		28,34	30,97		29,66	31,80	29,86	31,64	30,60
ES Skywalker			32,25			35,36	27,89	34,92	30,81
P 8666			30,06			31,40	28,28	32,01	28,55
SY Gordius			31,85			32,31	28,49	35,00	31,62
Agrometha			32,10			32,94	31,33	31,86	32,27
DKC 3561			31,11			31,71	31,58	31,89	29,26
Matthew*			30,32			30,37	27,30	34,02	29,61
Erasmus			30,47			30,57	26,45	35,16	29,73
MAS 24 C			31,50			34,45	29,50	28,73	33,33
P 8888			29,22			28,81	28,43	32,74	26,90
Poesi CS			31,14			31,05	28,68	35,99	28,86
Mittel (B)	31,07	29,50	32,93	31,17	31,22	34,10	31,56	34,29	31,79

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Stärkegehalt in Gesamtpflanze % (relativ)**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	109	102	104	105	103	109	107	99	101
P 9027 (B)	101	105	105	104	105	104	114	101	104
Katari CS (B)	105	108	103	105	105	104	101	105	104
Norico (B)	108	108	106	107	107	106	107	104	108
Walterinio KWS (B)	98	100	104	101	102	103	103	105	104
Corioli CS* (B)	93	97	89	93	93	88	87	93	88
MAS 26 T (B)	86	81	89	85	85	87	81	94	92
Batisti CS		101	100		100	96	101	104	99
DS 1439B/Supiter*		105	92		98	84	94	94	96
ES Watson		92	95		94	88	98	100	95
P 8134		108	108		108	109	112	102	108
P 8821		109	95		102	97	95	87	102
P 8613		108	102		105	101	102	104	101
P 8704		108	103		106	101	116	91	105
SY Monolit		105	100		102	103	89	105	102
RGT Karlaxx		96	94		95	93	95	92	96
ES Skywalker			98			104	88	102	97
P 8666			91			92	90	93	90
SY Gordius			97			95	90	102	99
Agrometha			97			97	99	93	101
DKC 3561			94			93	100	93	92
Matthew*			92			89	87	99	93
Erasmus			93			90	84	103	93
MAS 24 C			96			101	93	84	105
P 8888			89			84	90	95	85
Poesi CS			95			91	91	105	91
Mittel (B)	31,07	29,50	32,93	31,17	31,22	34,10	31,56	34,29	31,79

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Enzymlösliche organische Substanz in TM %**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnenwalde
Farmgigant* (B)	72,39	70,95	70,33	71,23	70,64	72,61	69,62	68,70	70,41
P 9027 (B)	71,11	69,62	68,41	69,71	69,01	69,28	68,86	67,90	67,60
Katari CS (B)	72,26	72,34	70,74	71,78	71,54	71,88	69,51	71,60	69,98
Norico (B)	72,58	73,09	71,34	72,34	72,21	72,68	70,75	71,55	70,38
Walterinio KWS (B)	71,64	71,02	71,10	71,25	71,06	72,28	69,69	71,28	71,15
Corioli CS* (B)	70,55	69,75	67,46	69,25	68,60	68,75	65,77	68,63	66,68
MAS 26 T (B)	69,39	67,78	66,60	67,92	67,19	67,89	64,07	67,73	66,72
Batisti CS		70,16	69,82		69,99	70,10	68,65	71,55	68,96
DS 1439B/Supiter*		72,00	70,00		71,00	69,87	69,78	69,23	71,12
ES Watson		71,71	71,21		71,46	70,96	71,60	72,25	70,02
P 8134		71,01	70,44		70,73	72,00	70,61	69,63	69,54
P 8821		71,17	68,43		69,80	69,77	68,27	67,33	68,35
P 8613		70,54	69,88		70,21	70,39	69,62	70,00	69,51
P 8704		70,56	69,49		70,03	69,22	70,99	68,45	69,30
SY Monolit		70,67	69,95		70,31	72,45	67,35	71,05	68,94
RGT Karlaxx		71,05	69,64		70,34	70,45	69,75	68,83	69,55
ES Skywalker			71,03			73,17	68,49	72,45	70,02
P 8666			69,41			70,77	68,37	69,65	68,86
SY Gordius			72,84			72,62	70,76	74,13	73,87
Agrometha			69,49			70,28	68,93	69,08	69,67
DKC 3561			70,79			71,09	71,02	70,85	70,20
Matthew*			69,59			69,31	68,55	70,93	69,58
Erasmus			72,18			72,01	69,71	74,55	72,45
MAS 24 C			67,32			69,47	66,49	64,80	68,52
P 8888			69,36			69,72	69,36	69,93	68,43
Poesi CS			69,59			70,33	68,42	71,63	68,00
Mittel (B)	71,42	70,65	69,43	70,50	70,04	70,77	68,32	69,63	68,99

## Anbauggebiet 20: D-Süd

Auswertungsserie: SS\_15\_17; Jahr: 2017

Enzymlösliche organische Substanz in TM % (relativ)

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	101	100	101	101	101	103	102	99	102
P 9027 (B)	100	99	99	99	99	98	101	98	98
Katari CS (B)	101	102	102	102	102	102	102	103	101
Norico (B)	102	103	103	103	103	103	104	103	102
Walterinio KWS (B)	100	101	102	101	101	102	102	102	103
Corioli CS* (B)	99	99	97	98	98	97	96	99	97
MAS 26 T (B)	97	96	96	96	96	96	94	97	97
Batisti CS		99	101		100	99	100	103	100
DS 1439B/Supiter*		102	101		101	99	102	99	103
ES Watson		101	103		102	100	105	104	101
P 8134		101	101		101	102	103	100	101
P 8821		101	99		100	99	100	97	99
P 8613		100	101		100	99	102	101	101
P 8704		100	100		100	98	104	98	100
SY Monolit		100	101		100	102	99	102	100
RGT Karlaxx		101	100		100	100	102	99	101
ES Skywalker			102			103	100	104	101
P 8666			100			100	100	100	100
SY Gordius			105			103	104	106	107
Agrometha			100			99	101	99	101
DKC 3561			102			100	104	102	102
Matthew*			100			98	100	102	101
Erasmus			104			102	102	107	105
MAS 24 C			97			98	97	93	99
P 8888			100			99	102	100	99
Poesi CS			100			99	100	103	99
Mittel (B)	71,42	70,65	69,43	70,50	70,04	70,77	68,32	69,63	68,99

## Anbauggebiet 20: D-Süd

Auswertungsserie: SS\_15\_17; Jahr: 2017

NEL/kg TM (NIRS) (ELOS, NDForg, XL, XA)

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	6,89	6,71	6,78	6,79	6,74	6,98	6,69	6,56	6,88
P 9027 (B)	6,63	6,46	6,43	6,51	6,44	6,45	6,45	6,41	6,42
Katari CS (B)	6,83	6,76	6,71	6,77	6,74	6,79	6,62	6,71	6,73
Norico (B)	6,74	6,69	6,67	6,70	6,68	6,77	6,60	6,66	6,67
Walterinio KWS (B)	6,76	6,59	6,74	6,70	6,67	6,81	6,62	6,71	6,82
Corioli CS* (B)	6,66	6,55	6,47	6,56	6,51	6,56	6,32	6,53	6,49
MAS 26 T (B)	6,63	6,43	6,46	6,51	6,45	6,60	6,23	6,47	6,54
Batisti CS		6,56	6,65		6,60	6,69	6,53	6,71	6,66
DS 1439B/Supiter*		6,68	6,62		6,65	6,58	6,60	6,53	6,77
ES Watson		6,72	6,80		6,76	6,75	6,81	6,84	6,79
P 8134		6,54	6,57		6,56	6,65	6,52	6,58	6,53
P 8821		6,59	6,48		6,54	6,54	6,45	6,41	6,51
P 8613		6,60	6,62		6,61	6,62	6,56	6,62	6,67
P 8704		6,51	6,49		6,50	6,41	6,58	6,44	6,55
SY Monolit		6,56	6,59		6,57	6,75	6,34	6,71	6,58
RGT Karlaxx		6,53	6,53		6,53	6,54	6,51	6,45	6,62
ES Skywalker			6,84			7,05	6,64	6,86	6,82
P 8666			6,47			6,56	6,32	6,51	6,51
SY Gordius			6,83			6,80	6,64	6,86	7,01
Agrometha			6,54			6,60	6,47	6,47	6,62
DKC 3561			6,60			6,65	6,55	6,60	6,62
Matthew*			6,50			6,45	6,40	6,56	6,60
Erasmus			6,81			6,75	6,60	6,96	6,94
MAS 24 C			6,52			6,66	6,42	6,38	6,64
P 8888			6,44			6,45	6,43	6,49	6,40
Poesi CS			6,67			6,77	6,53	6,75	6,64
Mittel (B)	6,74	6,60	6,61	6,65	6,60	6,71	6,50	6,58	6,65

**Anbauggebiet 20: D-Süd****Auswertungsserie: SS\_15\_17; Jahr: 2017****NEL/kg TM (NIRS) (relativ)**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	102	102	103	102	102	104	103	100	103
P 9027 (B)	98	98	97	98	98	96	99	97	96
Katari CS (B)	101	102	102	102	102	101	102	102	101
Norico (B)	100	101	101	101	101	101	101	101	100
Walterinio KWS (B)	100	100	102	101	101	101	102	102	103
Corioli CS* (B)	99	99	98	99	99	98	97	99	98
MAS 26 T (B)	98	97	98	98	98	98	96	98	98
Batisti CS		99	101		100	100	100	102	100
DS 1439B/Supiter*		101	100		101	98	101	99	102
ES Watson		102	103		102	101	105	104	102
P 8134		99	99		99	99	100	100	98
P 8821		100	98		99	98	99	97	98
P 8613		100	100		100	99	101	101	100
P 8704		99	98		99	96	101	98	98
SY Monolit		99	100		100	101	97	102	99
RGT Karlaxx		99	99		99	98	100	98	100
ES Skywalker			104			105	102	104	103
P 8666			98			98	97	99	98
SY Gordius			103			101	102	104	105
Agrometha			99			98	99	98	100
DKC 3561			100			99	101	100	99
Matthew*			98			96	98	100	99
Erasmus			103			101	101	106	104
MAS 24 C			99			99	99	97	100
P 8888			97			96	99	99	96
Poesi CS			101			101	100	103	100
Mittel (B)	6,74	6,60	6,61	6,65	6,60	6,71	6,50	6,58	6,65

**Anbaugelbiet 20: D-Süd****Auswertungsserie: SS\_15\_17; Jahr: 2017****Biogasausbeute BGA (oTM) (Rath 2016)**

Sorte	Jahr			2015-2017	2016-2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnwalde
Farmgigant* (B)	726	708	778	737	743	835	803	673	802
P 9027 (B)	689	707	735	710	721	751	743	688	758
Katari CS (B)	718	711	764	731	737	799	770	693	794
Norico (B)	713	694	748	718	721	789	753	682	770
Walterinio KWS (B)	696	685	740	707	712	774	755	666	765
Corioli CS* (B)	696	698	734	709	716	769	753	655	760
MAS 26 T (B)	666	654	711	677	682	744	707	647	748
Batisti CS		693	751		722	779	777	663	786
DS 1439B/Supiter*		703	730		716	748	755	652	764
ES Watson		669	721		695	749	730	641	764
P 8134		713	734		723	756	729	706	745
P 8821		694	711		703	724	730	662	729
P 8613		680	713		696	740	708	659	745
P 8704		681	695		688	704	719	630	728
SY Monolit		694	729		711	779	702	675	761
RGT Karlaxx		688	719		703	752	730	657	736
ES Skywalker			741			820	728	630	788
P 8666			759			788	754	703	792
SY Gordius			742			800	750	641	776
Agrometha			750			782	742	690	786
DKC 3561			739			764	783	666	742
Matthew*			728			758	744	661	750
Erasmus			726			756	731	652	763
MAS 24 C			688			730	662	640	722
P 8888			723			732	732	688	739
Poesi CS			755			803	761	677	781
Mittel (B)	701	694	744	713	719	780	755	672	771

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Biogasausbeute BGA (oTM) (Rath 2016) (relativ)**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	104	102	105	103	103	107	106	100	104
P 9027 (B)	98	102	99	100	100	96	98	102	98
Katari CS (B)	102	102	103	102	103	102	102	103	103
Norico (B)	102	100	101	101	100	101	100	101	100
Walterinio KWS (B)	99	99	99	99	99	99	100	99	99
Corioli CS* (B)	99	101	99	99	100	99	100	97	99
MAS 26 T (B)	95	94	96	95	95	95	94	96	97
Batisti CS		100	101		100	100	103	99	102
DS 1439B/Supiter*		101	98		100	96	100	97	99
ES Watson		96	97		97	96	97	95	99
P 8134		103	99		101	97	97	105	97
P 8821		100	96		98	93	97	99	95
P 8613		98	96		97	95	94	98	97
P 8704		98	93		96	90	95	94	94
SY Monolit		100	98		99	100	93	100	99
RGT Karlaxx		99	97		98	96	97	98	95
ES Skywalker			100			105	96	94	102
P 8666			102			101	100	105	103
SY Gordius			100			103	99	95	101
Agrometha			101			100	98	103	102
DKC 3561			99			98	104	99	96
Matthew*			98			97	99	98	97
Erasmus			98			97	97	97	99
MAS 24 C			92			94	88	95	94
P 8888			97			94	97	102	96
Poesi CS			101			103	101	101	101
Mittel (B)	701	694	744	713	719	780	755	672	771

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Lagerpflanzen vor Ernte %**

Sorte	Jahr			2015-2017	2016-2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	2	3	0	2	1	1	0	0	0
P 9027 (B)	2	5	0	3	3	1	0	0	0
Katari CS (B)	6	3	1	3	2	3	0	0	0
Norico (B)	6	13	1	7	7	3	0	0	0
Walterinio KWS (B)	15	25	1	14	13	4	0	0	0
Corioli CS* (B)	2	5	1	3	3	4	0	0	0
MAS 26 T (B)	1	4	0	2	2	0	0	0	0
Batisti CS		8	1		4	4	0	0	0
DS 1439B/Supiter*		12	1		6	3	0	0	0
ES Watson		10	1		5	2	0	0	0
P 8134		6	1		3	2	0	0	0
P 8821		3	0		2	0	0	0	0
P 8613		6	2		4	7	0	0	0
P 8704		3	2		2	6	0	0	0
SY Monolit		7	2		4	5	0	0	0
RGT Karlaxx		10	2		6	5	0	0	0
ES Skywalker			2			5	0	0	0
P 8666			2			6	0	0	0
SY Gordius			1			3	0	0	0
Agrometha			2			5	0	0	0
DKC 3561			2			5	0	0	0
Matthew*			2			5	0	0	0
Erasmus			2			5	0	0	0
MAS 24 C			1			4	0	0	0
P 8888			0			1	0	0	0
Poesi CS			1			4	0	0	0
Mittel (B)	5	8	1	5	4	2	0	0	0

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Stängelfäule %**

Sorte	Jahr			2015-2017	2016-2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	0	0	0	0	0			0	
P 9027 (B)	0	1	4	2	3			4	
Katari CS (B)	0	4	1	2	3			1	
Norico (B)	0	4	8	4	6			8	
Walterinio KWS (B)	0	3	4	2	3			4	
Corioli CS* (B)	0	0	1	0	1			1	
MAS 26 T (B)	0	1	5	2	3			5	
Batisti CS		1	1		1			1	
DS 1439B/Supiter*		3	1		2			1	
ES Watson		3	5		4			5	
P 8134		3	0		1			0	
P 8821		3	3		3			3	
P 8613		4	4		4			4	
P 8704		1	1		1			1	
SY Monolit		0	5		3			5	
RGT Karlaxx		5	6		6			6	
ES Skywalker			0					0	
P 8666			4					4	
SY Gordius			5					5	
Agrometha			3					3	
DKC 3561			1					1	
Matthew*			3					3	
Erasmus			4					4	
MAS 24 C			3					3	
P 8888			0					0	
Poesi CS			1					1	
Mittel (B)		2	3	2	2			3	
Orte	0	1	1						

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Pflanzen mit Beulenbrand %**

Sorte	Jahr			2015-2017	2016-2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	1	4	0	2	2	0	0	0	1
P 9027 (B)	2	3	1	2	2	0	0	3	0
Katari CS (B)	1	2	1	1	2	0	1	5	0
Norico (B)	0	4	2	2	3	1	2	6	0
Walterinio KWS (B)	1	6	4	4	5	2	3	11	2
Corioli CS* (B)	0	0	0	0	0	0	0	1	0
MAS 26 T (B)	0	3	2	2	2	0	0	7	0
Batisti CS		4	1		2	0	0	3	0
DS 1439B/Supiter*		7	7		7	0	0	28	2
ES Watson		1	1		1	0	0	2	0
P 8134		3	2		2	0	0	7	0
P 8821		3	2		2	1	1	5	0
P 8613		1	1		1	1	0	2	0
P 8704		1	1		1	0	0	5	0
SY Monolit		3	3		3	1	2	10	0
RGT Karlaxx		1	0		1	0	0	2	0
ES Skywalker			0			0	0	0	0
P 8666			6			1	1	21	0
SY Gordius			1			0	0	5	0
Agrometha			1			0	0	3	0
DKC 3561			2			0	2	5	0
Matthew*			1			0	0	3	0
Erasmus			2			0	0	7	0
MAS 24 C			0			0	0	1	0
P 8888			3			0	0	11	0
Poesi CS			1			0	0	4	0
Mittel (B)	1	3	2	2	2	0	1	5	0

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Bestockung %**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	17	35	18	23	26			18	
P 9027 (B)	1	5	4	3	4			4	
Katari CS (B)	2	8	2	4	5			2	
Norico (B)	3	8	5	5	6			5	
Walterinio KWS (B)	1	2	1	1	1			1	
Corioli CS* (B)	3	6	1	3	3			1	
MAS 26 T (B)	15	35	17	22	26			17	
Batisti CS		2	3		2			3	
DS 1439B/Supiter*		24	24		24			24	
ES Watson		3	6		5			6	
P 8134		30	14		22			14	
P 8821		37	15		26			15	
P 8613		18	7		12			7	
P 8704		34	19		27			19	
SY Monolit		14	7		10			7	
RGT Karlaxx		0	2		1			2	
ES Skywalker			7					7	
P 8666			4					4	
SY Gordius			7					7	
Agrometha			3					3	
DKC 3561			9					9	
Matthew*			1					1	
Erasmus			15					15	
MAS 24 C			8					8	
P 8888			2					2	
Poesi CS			1					1	
Mittel (B)	6	14	7	9	10			7	

**Anbauggebiet 20: D-Süd****Auswertungsserie: SS\_15\_17; Jahr: 2017****Pflanzenlänge cm**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	254	265	303	274	284	301	311	305	295
P 9027 (B)	238	251	290	259	270	288	303	279	290
Katari CS (B)	259	264	296	273	280	296	305	285	298
Norico (B)	263	280	489	344	384	314	345	319	978
Walterinio KWS (B)	274	285	326	295	306	329	346	336	295
Corioli CS* (B)	264	278	306	283	292	305	321	312	286
MAS 26 T (B)	252	265	302	273	284	305	301	305	296
Batisti CS		279	307		293	306	316	303	301
DS 1439B/Supiter*		283	329		306	334	341	340	301
ES Watson		278	314		296	308	324	331	295
P 8134		250	305		277	300	319	312	290
P 8821		264	298		281	295	300	299	296
P 8613		275	322		298	314	335	334	304
P 8704		282	328		305	324	340	348	299
SY Monolit		280	323		302	319	334	325	314
RGT Karlaxx		289	323		306	323	340	329	300
ES Skywalker			312			306	320	322	301
P 8666			310			304	318	315	305
SY Gordius			309			306	320	304	304
Agrometha			323			325	330	333	305
DKC 3561			323			319	344	334	296
Matthew*			308			306	319	304	301
Erasmus			306			309	311	302	300
MAS 24 C			313			311	335	315	293
P 8888			318			310	330	335	296
Poesi CS			310			309	325	311	298
Mittel (B)	258	270	330	286	300	305	319	305	391

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Pflanzenlänge cm (relativ)**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	99	98	92	96	95	99	98	100	75
P 9027 (B)	92	93	88	91	90	94	95	91	74
Katari CS (B)	101	98	90	95	93	97	96	93	76
Norico (B)	102	104	148	120	128	103	108	104	250
Walterinio KWS (B)	106	106	99	103	102	108	109	110	75
Corioli CS* (B)	103	103	93	99	97	100	101	102	73
MAS 26 T (B)	98	98	91	95	95	100	94	100	76
Batisti CS		103	93		98	100	99	99	77
DS 1439B/Supiter*		105	100		102	109	107	111	77
ES Watson		103	95		99	101	102	108	75
P 8134		93	92		92	98	100	102	74
P 8821		98	90		94	97	94	98	76
P 8613		102	97		99	103	105	109	78
P 8704		105	99		102	106	107	114	76
SY Monolit		104	98		101	104	105	106	80
RGT Karlaxx		107	98		102	106	107	108	77
ES Skywalker			95			100	100	105	77
P 8666			94			99	100	103	78
SY Gordius			93			100	100	100	78
Agrometha			98			106	103	109	78
DKC 3561			98			104	108	109	76
Matthew*			93			100	100	100	77
Erasmus			93			101	98	99	77
MAS 24 C			95			102	105	103	75
P 8888			96			102	103	110	76
Poesi CS			94			101	102	102	76
Mittel (B)	258	270	330	286	300	305	319	305	391



**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Mängel nach Abschluß d. weiblichen Blüte**

Sorte	Jahr			2015-2017	2016-2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	3	2	2	2	2		2		1
P 9027 (B)	3	2	2	2	2		2		1
Katari CS (B)	2	2	2	2	2		2		1
Norico (B)	3	3	2	2	2		2		1
Walterinio KWS (B)	3	3	2	2	2		2		1
Corioli CS* (B)	2	2	2	2	2		2		1
MAS 26 T (B)	2	2	2	2	2		2		1
Batisti CS		2	2		2		2		1
DS 1439B/Supiter*		2	2		2		2		1
ES Watson		2	2		2		2		1
P 8134		3	2		2		2		1
P 8821		2	2		2		2		1
P 8613		3	2		2		3		1
P 8704		2	2		2		2		1
SY Monolit		2	2		2		2		1
RGT Karlaxx		3	2		2		2		1
ES Skywalker			2				2		1
P 8666			2				2		1
SY Gordius			2				2		1
Agrometha			2				2		1
DKC 3561			2				2		1
Matthew*			2				2		1
Erasmus			2				2		1
MAS 24 C			2				2		1
P 8888			2				3		1
Poesi CS			2				2		1
Mittel (B)	3	2	2	2	2		2		1

**Anbauggebiet 20: D-Süd**

**Auswertungsserie: SS\_15\_17; Jahr: 2017**

**Datum der weiblichen Blüte**

Sorte	Jahr			Orte 2017			
	2015	2016	2017	Güterfelde	Lüchfeld	Skäßchen	Sonnenwalde
Farmgigant* (B)	24.07.2015	21.07.2016	19.07.2017	21.07.2017	24.07.2017	13.07.2017	19.07.2017
P 9027 (B)	26.07.2015	21.07.2016	20.07.2017	24.07.2017	24.07.2017	13.07.2017	19.07.2017
Katari CS (B)	26.07.2015	21.07.2016	20.07.2017	23.07.2017	24.07.2017	16.07.2017	18.07.2017
Norico (B)	24.07.2015	19.07.2016	18.07.2017	23.07.2017	24.07.2017	11.07.2017	17.07.2017
Walterinio KWS (B)	28.07.2015	23.07.2016	20.07.2017	25.07.2017	24.07.2017	13.07.2017	18.07.2017
Corioli CS* (B)	26.07.2015	21.07.2016	21.07.2017	24.07.2017	26.07.2017	16.07.2017	19.07.2017
MAS 26 T (B)	27.07.2015	22.07.2016	20.07.2017	24.07.2017	24.07.2017	16.07.2017	19.07.2017
Batisti CS		21.07.2016	19.07.2017	23.07.2017	22.07.2017	16.07.2017	18.07.2017
DS 1439B/Supiter*		20.07.2016	18.07.2017	23.07.2017	22.07.2017	13.07.2017	17.07.2017
ES Watson		21.07.2016	19.07.2017	23.07.2017	24.07.2017	13.07.2017	18.07.2017
P 8134		22.07.2016	22.07.2017	25.07.2017	26.07.2017	18.07.2017	20.07.2017
P 8821		22.07.2016	22.07.2017	24.07.2017	26.07.2017	18.07.2017	21.07.2017
P 8613		21.07.2016	22.07.2017	26.07.2017	26.07.2017	16.07.2017	21.07.2017
P 8704		22.07.2016	21.07.2017	26.07.2017	24.07.2017	16.07.2017	19.07.2017
SY Monolit		22.07.2016	21.07.2017	23.07.2017	24.07.2017	16.07.2017	23.07.2017
RGT Karlaxx		21.07.2016	20.07.2017	23.07.2017	24.07.2017	16.07.2017	19.07.2017
ES Skywalker			18.07.2017	21.07.2017	24.07.2017	13.07.2017	17.07.2017
P 8666			21.07.2017	27.07.2017	24.07.2017	16.07.2017	20.07.2017
SY Gordius			19.07.2017	22.07.2017	24.07.2017	13.07.2017	18.07.2017
Agrometha			21.07.2017	23.07.2017	24.07.2017	16.07.2017	22.07.2017
DKC 3561			22.07.2017	24.07.2017	26.07.2017	16.07.2017	23.07.2017
Matthew*			21.07.2017	24.07.2017	26.07.2017	16.07.2017	20.07.2017
Erasmus			21.07.2017	23.07.2017	24.07.2017	16.07.2017	21.07.2017
MAS 24 C			22.07.2017	24.07.2017	26.07.2017	16.07.2017	23.07.2017
P 8888			22.07.2017	25.07.2017	24.07.2017	18.07.2017	21.07.2017
Poesi CS			23.07.2017	25.07.2017	24.07.2017	18.07.2017	25.07.2017

**Anbauggebiet 20: D-Süd**  
**Auswertungsserie: SS\_15\_17; Jahr: 2017**  
**Abreifegrad der Blätter**

Sorte	Jahr			2015- 2017	2016- 2017	Orte 2017			
	2015	2016	2017			Güterfelde	Lüchfeld	Skäßchen	Sonnewalde
Farmgigant* (B)	4	4	6	5	5	4	5	5	8
P 9027 (B)	4	4	5	4	5	3	5	5	9
Katari CS (B)	4	4	5	4	4	3	3	4	9
Norico (B)	4	5	5	5	5	4	3	7	9
Walterinio KWS (B)	4	4	5	4	5	3	4	5	9
Corioli CS* (B)	4	4	4	4	4	2	3	4	9
MAS 26 T (B)	3	4	5	4	5	3	5	4	9
Batisti CS		5	5		5	3	3	5	8
DS 1439B/Supiter*		4	5		4	2	4	4	8
ES Watson		5	5		5	4	5	5	8
P 8134		5	6		5	3	5	6	9
P 8821		4	5		4	3	4	5	9
P 8613		4	6		5	3	5	7	8
P 8704		4	6		5	3	4	7	9
SY Monolit		4	5		5	3	3	6	8
RGT Karlaxx		4	6		5	4	5	7	8
ES Skywalker			6			4	4	6	8
P 8666			6			3	5	7	8
SY Gordius			6			4	5	6	8
Agrometha			6			4	5	7	9
DKC 3561			6			4	5	7	8
Matthew*			5			3	3	6	9
Erasmus			5			3	5	4	9
MAS 24 C			5			3	3	5	9
P 8888			4			3	3	4	8
Poesi CS			5			4	3	4	9
Mittel (B)	4	4	5	4	5	3	4	5	9